



Fauna and Ecology of the Nukus City Birds

Ametova Nargiza¹, Jumanov Muratbay², Ametov Yakub³, Ayimbetova Sharipa⁴,
Abdikarimova Maral⁵

^{1,2,3,4,5}Karakalpak State University named after Berdakh, Nukus city

nargizaidirisonva@gmail.com, raf_78@inbox.ru

Article History

Received: 29 July 2023

Revised: 28 October 2023

Accepted: 06 November 2023

CC License

CC-BY-NC-SA 4.0

Key words: birds, avifauna, urban landscape, Nukus city, bird ecology, formation, spreading, number, adaptation, nesting, feeding, wetland birds

1. Introduction.

Today, almost all landscapes on planet Earth are directly or indirectly affected by human activities. Therefore, at present, much attention is paid to the study of the fauna and population of animals, especially birds, which play a leading bioindicator role in cultural landscapes [11, 6, 7]. Among cultural landscapes, the urban landscape is one of the most widespread. But so far, the avifauna of the urban landscape of Karakalpakstan has not been fully studied. For this reason, a comprehensive study of the species composition, spreading, number, ecology and ways of adaptation of birds in the city of Nukus is of great scientific-practical importance.

2. Materials and methods of research.

The research work was carried out in 2019-2023 in the lower reaches of the Amu Darya River, in all seasons of the year, in the city of Nukus of Republic of Karakalpakstan and its environs.

When studying the avifauna, generally accepted methods were used [17, 20]: the route method of observation and accounting (on foot, by car); methods for determining the species of birds by voice, and night migrants - by the light of the moon; for subsequent determination and analysis - photo and video filming of species; registration of the main biotopic features at the observation sites, etc.

Observation and registration of birds in their habitats was carried out by 10x binoculars and a 60x Viking tube. The duration of observations at the counting points ranged from 5 to 20 minutes.

Most of the scientists who conducted ornithological observations in Karakalpakstan

were interested in the cultural landscape, including urban birds. But the fauna and ecology of urban birds have not been studied separately. Only in the works of some researchers this question is given in the form of fragmentary data [1, 2, 3, 4, 5, 6, 7, 8, 9, 10].

3. Results and discussion.

According to the available literary sources [1, 2, 5, 6, 7, 8, 12, 13, 14, 15, 16, 18] and our own observations, it was determined that 198 species of birds belonging to 18 orders and 46 families are spread in the city of Nukus (Table 1).

Table 1- The systematic composition of the birds of Nukus city and its environs and arrival status

order	number of species		settled		nesting		migratory		wintering	
	abc.	%	abc	%	abc	%	abc.	%	abc.	%
Podicipediformes	5	2,52	-	-	4	4,35	5	3,40	-	-
Pelecaniformes	4	2,02	-	-	4	4,35	3	2,04	-	-
Ciconiiformes	7	3,53	-	-	7	7,61	2	1,36	2	4,25
Phoenicopteriformes	1	0,51	-	-	1	1,09	1	0,68	-	-
Anseriformes	19	9,6	-	-	11	11,95	19	12,92	5	10,64
Falconiformes	14	7,07	2	8,7	6	6,52	10	6,80	7	14,89
Galliformes	2	1,01	1	4,35	1	1,09	1	0,68	1	2,13
Gruiformes	7	3,53	-	-	3	3,26	7	4,76	1	2,13
Charadriiformes	39	19,7	-	-	16	17,39	36	24,49	3	6,38
Columbiformes	5	2,52	3	13,04	2	2,17	2	1,36	1	2,13
Cuculiformes	1	0,51	-	-	1	1,09	1	0,68	-	-
Strigiformes	4	2,02	2	8,7	1	1,09	-	-	1	2,13
Caprimulgiformes	1	0,51	-	-	1	1,09	1	0,68	-	-
Apodiformes	1	0,51	-	-	1	1,09	1	0,68	-	-
Coraciiformes	3	1,51	-	-	3	3,26	2	1,36	-	-
Upupiformes	1	0,51	-	-	1	1,09	1	0,68	-	-
Piciformes	2	1,01	1	4,35	-	-	1	0,68	-	-
Passeriformes	82	41,41	14	60,86	29	31,52	54	36,73	26	55,32
Total	198	100	23	11,61	92	46,46	147	74,24	47	23,74

Note: The total number of species grouped by arrival status exceeds the number of species in the avifauna of Nukus. This is because the northern geographic populations of most nesting species are also migratory.

Table 1 provides information on the systematic composition and nature of the stay of birds common in the city of Nukus. It is characterized by the predominance of migratory bird species (74.24 %) over nesting (46.46 %), wintering (23.74 %) and settled (11.61 %).

Among the named orders, the most widespread are Passeriformes - 82 species or 41.41%, Charadriiformes - 39 species (19.7 %), Anseriformes - 19 species (9.6 %), Falconiformes - 14 (7.07 %), Ciconiiformes and Gruiformes - from 7 species (3.53 % each), Podicipediformes and Columbiformes - 5 species (2.52 % each), Pelecaniformes and Strigiformes - 4 species (2.02 % each), and 3 species (1.51 %) belong to the Coraciiformes, etc. (Fig. 1).




Figure 1. The number of birds in the city of Nukus by species

If we analyze the composition of birds seasonally, then among the representatives of the nesting avifauna the following orders prevail: Passeriformes (31.52 %), Charadriiformes (17.39 %), Anseriformes (11.95 %), Ciconiiformes (7.61 %), Falconiformes (6.52 %), Podicipediformes and Pelecaniformes (4.35 % each), Gruiformes and Coraciiformes (3.26 % each), Columbiformes (2.17 %). The indicator of other types corresponds to 1.09 %. The share of migratory bird species remains at the same level, i.e. Passeriformes (36.73 %), Charadriiformes (24.49 %), Anseriformes (12.92 %), Falconiformes (6.80 %), Gruiformes (4.76 %), Podicipediformes (3.40 %), Pelecaniformes (2.04 %), Ciconiiformes, Columbiformes and Coraciiformes (1.36 % each). The indicator of other categories corresponds to 0.68 %. Passeriformes predominate among wintering species - 26 species (55.32 %), followed by Falconiformes - 7 species (14.89 %), Anseriformes - 5 species (10.64 %), Charadriiformes - 3 species (6.38 %), Ciconiiformes - 2 species (4.25 %). Each of the remaining categories is 2.13% (1 type). Sedentary birds make up 23 species and are grouped into the following orders: Passeriformes - 14 species (60.86 %), Columbiformes - 3 species (13.04%), Falconiformes and Strigiformes - 2 species each (out of 8.7 %), Galliformes and Piciformes - 1 species (4.35 % each).

The avifauna of the city of Nukus is formed by representatives of desert, waterfowl and tugai birds. Today, birds are spread over 7 main habitat (biotopes) in the city of Nukus. These are:

1. microdistricts and many-storied buildings;
2. settlements consisting of one-story houses;
3. gardens, alleys, tugai on the outskirts of the city;
4. industrial centers (plants, factories, stations, offices, etc.);
5. ruderal areas (garbage dumps, roads);
6. reservoirs and their banks (rivers, canals, lakes, ponds);
7. cemeteries and nearby open areas.

All these stations differ from each other in terms of bird habitats, and they have their own indicator birds. Currently, the composition of the avifauna is gradually replenished with birds of the cultural landscape. At the same time, the increase in settlements and cultural sites is crowding out bird species that previously lived there.

The development of the city as a habitat for birds is accompanied by a change in their

Fauna and Ecology of the Nukus City Birds

ecology. Therefore, not all birds can co-adapt in urban environments.

The rarity of prey birds, the absence of disturbance for the night and the abundance of food create opportunities for migratory and wintering birds to enter the city. According to our observations, in winter, most crows spend the night on tall trees in the city. In the autumn-winter period, the number of birds that feed on grain and birds that feed on food residues (*Columbidae*, *Corvidae*, *Sturnidae*, *Passeridae*) increases significantly.

There are also ample opportunities for nesting in urban areas. To build a nest, birds choose different places, sometimes places that were not familiar to them before. For example, rock dove *Columba livia* G., myna *Acridotheres tristis*, collared turtledove *Streptopelia decaocto* F., tree sparrow *Passer montanus*, barn swallow *Hirundo rustica* L., black swift *Apus apus* can nest in buildings of historical or modern architecture, high lampposts. Myna *Acridotheres tristis*, collared turtledove *Streptopelia decaocto* F., tree sparrow *Passer montanus* L., rock dove *Columba livia* G., starlings *Sturnus vulgaris* often feed in garbage dumps, find food in markets, in transport stops and around warehouses. These birds are not so afraid of people.

The intensive development of industrial production and social facilities has a significant impact on the biological diversity of birds and their ecology in the urban landscape. Also, the expansion of the park with various trees and shrubs attracts many birds.

Some birds build nests here, hibernate, and in the cold winter they find food for themselves. Some of them temporarily stop in water areas located inside or on the outskirts of the city during their seasonal migration. At this time, we even met rare birds listed in the Red Book of the Republic of Uzbekistan [19] on Ashshi Kol Lake in the outskirts of Nukus. For example, every year during the spring and autumn migration on this lake we observe about 100 individuals of the white-headed duck *Oxyura leucocephala* S. (Fig. 2). On May 2, 2021, we encountered 17 pink flamingos *Phoenicopterus roseus* L. on this lake. We would like to emphasize that these rare birds always avoid anthropogenic habitats, but they were noted in the outskirts of the city of Nukus for the first time.



Figure 2. white-headed duck *Oxyura leucocephala*

The increase in the number of cars on city streets and the asphaltting of many roads have driven out striated scops-owl *Otus brucei* Hume, eurasian roller *Coracias garrulous* L., hoopoe *Upupa epops* L. and barn swallow *Hirundo rustica* L. from the city.

Most Columbiformes and Passeriformes forage and nest in crowded areas such as busy markets and car depots.

Rooks *Corvus frugilegus* L. and jackdaws *Coloeus monedula* L. nest and spend the night in cities, gathering in colonies in trees. They disturb people with their loud noise and pollute tree trunks and streets with their excrement. That's why most people try to drive them

out by destroying their nests.

4. Conclusions.

Today, 198 species of birds belonging to 18 orders and 46 families are distributed in the city of Nukus. The avifauna of the city of Nukus is formed by representatives of desert, water and tugai birds. As a habitat for birds, the city of Nukus has many habitats and biotopes, and birds adapt to it in different ways.

5. References

1. Ametov M. Birds of Karakalpakstan and their protection – Nukus: Karakalpakstan, 1981 – p. 138
2. Ametov M.B. Anthropogenic transformation of the avifauna of Karakalpakstan: Dissertation Abstract of Candidate of Biological Sciences – Tashkent, 1998 – p. 23
3. Ametov M.B., Matekova G., Ametov Ya. Winter avifauna of the cultural landscape of Karakalpakstan // Ecological education and sustainable development: International Scientific-Practical Conference - Nukus, 2004 - pp. 122-124
4. Ametov Ya.I. Some ornithological observations in 2003-2008 of the cultural landscapes of Karakalpakstan // Ecological Bulletin - Tashkent, 2009. No. 5 - pp. 35-37
5. Ametov Ya.I. Biodiversity of birds of Karakalpakstan and their protection (fauna, ecology, protection): Dissertation Abstract of Candidate of Biological Sciences – Tashkent, 2019 – p. 58
6. Ametova N.I., Turdybaev K., Ametov Ya.I. Materials on the avifauna of the city of Nukus // Electronic scientific-practical periodical “World Science” <http://www.science-j.com>. ISSN 2541-9285 Issue No. 6(51) (June, 2021). Institute of Management and Socio-Economic Development, 2021 – pp.71-73.
7. Ametova N.I., Jumanov M.A., Ametov Ya.I. Materials on the ecology of the birds of the city of Nukus // Bulletin of the Khorezm Mamun Academy - Urgench, 2021-12 - pp. 27-29
8. Butlerov M.A. Ornithological fauna of the Nukus area, lying between the Amu Darya River and Kuvan Djarma, Proceedings of the St. Petersburg Society of Naturalists. - 1879 - pp. 140-155
9. Gladkov N.A. Ornithological results of a trip along the Amu Darya River in the summer of 1931 // Bulletin of Moscow Testers of the Society of Nature. Department of Biology - Moscow, 1932 - Issue 3/4 – pp. 351-398
10. Gladkov N.A. New data on spreading of birds in the Amu Darya delta // Bulletin of SASU - Tashkent, 1935 - Issue 21 – pp. 83-91
11. Gladkov N.A., Rustamov A.K. The main problems of studying birds of cultural landscapes // Modern problems of ornithology: / Materials of the IV All-Union Ornithological Conference - Frunze, 1965
12. Jumanov M.A. Vertebrate animals of the Southern Aral Sea region in the conditions of anthropogenic transformation of their habitat: Dissertation Abstract of Doctor of Biological Sciences – Tashkent, 2017. – p. 52
13. Zarudny N.A., Bilkevich S.I. List of birds of the Transcaspian region and their spreading by zoological sites of this country // The Transcaspian Museum News – Tashkent, 1918. Book 1 – pp. 1-48
14. Mambetzhumaev A.M., Ametov M. “On the winter avifauna of the city of Nukus and its environs”, Materials of the 6th All-Union Ornithological Conference - Moscow. - Publishing House of Moscow State University, 1974. Part 2 - pp. 338-339

15. Mambetjumaev A.M. Complete systematic list of birds of the Southern Aral Sea region. Message 1: Non-Passeriformes // Bulletin of the Karakalpak Branch of Academy of Sciences of the Republic of Uzbekistan – Nukus, 1995. No. 1 - pp. 55-68
16. Mambetzhumaev A.M. Complete systematic list of birds of the Southern Aral Sea. Message 2: Order Passeriformes - Passeriformes // Bulletin of the Karakalpak Branch of Academy of Sciences of the Republic of Uzbekistan – Nukus, 1996. No. 2 - pp. 31-43
17. Novikov G.A. Field research on the ecology of terrestrial vertebrates. - Moscow, 1953. – p. 501
18. Salikhbaev H.S. Review of the bird fauna of Karakalpakstan // Materials on production forces of Uzbekistan. – Tashkent, 1959. Issue 10 - pp. 298-309.
19. The Red Book of the Republic of Uzbekistan. Animals. - Tashkent, 2009. Volume 2 – p. 215
20. William J. Ecological Census Techniques. – Sutherland: Cambridge, 2006. - 432 p.

Summary

The article presents materials collected during 2019-2023 on birds spread in the city of Nukus and its surroundings. Also, the authors have studied the modern composition of the avifauna of the city of Nukus, its spreading and character of residence, as well as the ecology of birds, including their adaptation to the city and food.

Information on the authors

1. Surname, first name and patronymic: Ametova Nargiza Idrisovna
 2. Academic degree, academic title: none
 3. Place of work: Karakalpak State University named after Berdakh
 4. Position: Doctoral student of General Biology and Physiology Department
 5. Country, city: Uzbekistan, Nukus city
 6. Address: (Telephone/fax): Nukus city, Ch. Abdirov street, 1. tel. +998973497372
 7. E-mail: nargizaidirisonva@gmail.com
-
1. Surname, first name and patronymic: Jumanov Muratbay Arepbaevich
 2. Academic degree, academic title: Doctor of Biological Sciences, Professor
 3. Place of work: Karakalpak State University named after Berdakh
 4. Position: Professor of General Biology and Physiology Department
 5. Country, city: Uzbekistan, Nukus city
 6. Address: (Telephone/fax): Nukus city, Ch. Abdirov street, 1. tel. +998933657766
 7. E-mail: m_jumanov@karsu.uz
-
1. Surname, first name and patronymic: Ametov Yakub Idrisovich
 2. Academic degree, academic title: Doctor of Biological Sciences, Professor
 3. Place of work: Karakalpak State University named after Berdakh
 4. Position: Dean of Biology Faculty
 5. Country, city: Uzbekistan, Nukus city
 6. Address: (Telephone/fax): Nukus city, Ch. Abdirov street, 1. tel. +998934877860
 7. E-mail: raf_78@inbox.ru
-
1. Surname, first name and patronymic: Ayimbetova Sharipa Jangabaevna
 2. Academic degree, academic title: none
 3. Place of work: Karakalpak State University named after Berdakh
 4. Position: Assistant of Ecology and Soil Science Department
 5. Country, city: Uzbekistan, Nukus city

6. Address: (Telephone/fax): Nukus city, Ch. Abdirov street, 1. tel. +998973568378

7. E-mail: sharipaayimbetova@gmail.com

1. Surname, first name and patronymic: Abdikarimova Maral Genjebaevna

2. Academic degree, academic title: none

3. Place of work: Karakalpak State University named after Berdakh

4. Position: Doctoral student of Ecology and Soil Science Department

5. Country, city: Uzbekistan, Nukus city

6. Address: (Telephone/fax): Nukus city, Ch. Abdirov street, 1. tel. +998907284727

7. E-mail: maralabdikarimova1@gmail.com