



From Gut to Gray Matter: The Surprising Links Between The Microbiome and Brain

Swagata Mukhopadhyay¹, Debanjana Bhattacharyya², Jagannath Ghosh^{3*}

¹Senior Research Fellow, Department of Physiology, WBSU, Barasat, W.B., India.

²Temporary Assistant Professor, Department of Food and Nutrition, The Maharaja Sayajirao University of Baroda, India.

³Assistant Professor, Department of Food and Nutrition, School of Allied Health Sciences, Swami Vivekananda University, Barrackpore, Kolkata-700121, India.

*Corresponding author's E-mail: jagannathg@svu.ac.in

Article History	Abstract
Received: 28 Sept 2023 Revised: 21 Oct 2023 Accepted: 02 Nov 2023	<i>The gut microbiome has been implicated in the pathogenesis of a wide array of immune-related neurological disorders, including psychiatric and neurological disorders. This fascinating journey from the gut to the gray matter reveals an astonishing dimension of scientific exploration. The intricate interconnectedness of the gut-brain axis and the microbiota's impact on brain function carries substantial implications for mental well-being. This burgeoning field not only holds great promise for insights into the prevention and treatment of neurological conditions but also underscores the significance of maintaining a well-balanced and nurtured microbiomes for overall cognitive health.</i>
CC License CC-BY-NC-SA 4.0	Keywords: Gut microbiome, Brain, Therapeutic nutrition

1. Introduction

In recent times, there has been an upward trend of fascination with investigating the interplay between the microbiome and the brain. Researchers have made fascinating discoveries indicating that the trillions of microorganisms constituting our microbiome can remarkably influence brain development, behavior, and even mental health (Appleton, 2018; Galland, 2014; Smith, 2015). A pivotal revelation from these investigations is that gut microbes possess the ability to communicate with the brain through various intricate mechanisms. They can produce hormones, immune molecules, and specialized metabolites that can shape brain function and behavior (Appleton, 2018). This intricate communication network between the gut and the brain is commonly denoted as the "gut-brain axis." It encompasses a complex system involving millions of nerves, including the pivotal vagus nerve, which assumes a critical role in transmitting signals between the gut and the brain (Galland, 2014). Extensive research has confirmed that the gut microbiome can exert a profound impact on both brain development and behavior, a phenomenon observed in both animals and humans (Smith, 2015). For instance, research studies have revealed that manipulating the gut microbiota in mice can result in alterations in gene expression within various regions of the brain, subsequently influencing neurophysiology and behavior (Galland, 2014). Moreover, the concept of dysbiosis, signifying an imbalance in the bacterial composition of the microbiome, has been associated with mental health conditions such as anxiety and depression (Cryan et al., 2020). The profound interconnectedness of the gut-brain axis and the microbiome's impact on brain function carries substantial implications for mental well-being. Unraveling these intricate connections may potentially pave the way for innovative treatments for mental health disorders and offer insights into strategies for maintaining optimal brain health. Enhancing gut health and fostering a diverse and harmonious microbiome makes it conceivable to positively influence mental wellness (Galland, 2014). Nonetheless, it's imperative to acknowledge that the field of microbiome research is relatively nascent, and there remains much to uncover regarding the intricate interplay between the microbiome and the brain. Establishing causality in microbiome studies poses a significant challenge, and researchers are diligently working to decipher the precise mechanisms while elucidating the significance of these processes in human development and overall health (Appleton, 2018; Galland, 2014).

Relationship between gut microbes and neurological illness:

Recent research has sparked growing interest in the intricate link between gut microorganisms and neurological diseases (Faruqui et al., 2021). This correlation extends across a wide range of neurological disorders linked to the immune system. These encompass developmental disorders, neurodegenerative conditions, and emotional disorders, all of which have shown associations with alterations in gut microbiota and the creation of microbial metabolites (Faruqui et al., 2021; Sittipo et al., 2022). Imbalances in the gut microbiota can result in a condition known as gut dysbiosis, potentially facilitating the emergence of neurological disorders through the proliferation of pathogenic bacteria (Faruqui et al., 2021).

Notably, both the gut and the brain's immune systems can become activated by microbial triggers, potentially leading to neuro-inflammation and the onset of neurological disorders (Tiwari et al., 2023). The gut microbiome has surfaced as a potential influential factor in predisposition to various neurological conditions (Cryan et al., 2020). This is because gut bacteria wield substantial influence over brain development, behavior, and the host immune system (Suganya & Koo, 2020). Disruptions in the gut-brain axis have been implicated in the etiology of psychological and neurological diseases (Suganya & Koo, 2020). Dysbiosis, characterized by an imbalance in the gut microflora, has been linked to the initiation and progression of neurological disorders (Sorboni et al., 2022). This multifaceted relationship between gut microorganisms and neurological health underscores the significance of ongoing research in this field.

Emerging research underscores the pivotal role of the gut microbiome in both neurological health and disease. Central to this connection is the intricate gut-brain axis, an elaborate communication system encompassing millions of nerves, prominently featuring the vagus nerve (Suganya & Koo, 2020). The gut microbiome wields its influence over the brain through a diverse array of mechanisms, including the production of hormones, immune molecules, specialized metabolites, modulation of RNAs, interactions with the vagus nerve, and engagement with both the immune and nervous systems (Faruqui et al., 2021; Cryan et al., 2020; Tiwari et al., 2023; Suganya & Koo, 2020; Sittipo et al., 2022).

These discoveries have connected the gut microbiota to a variety of neurological illnesses, including multiple sclerosis, Parkinson's disease, Alzheimer's disease, autism spectrum disorder, and depression (Faruqui et al., 2021; Cryan et al., 2020; Sittipo et al., 2022). For instance, individuals with autism spectrum disorder have exhibited distinct differences in gut microbiome composition compared to their healthy counterparts (Faruqui et al., 2021). Similarly, patients diagnosed with multiple sclerosis have displayed a gut microbiome composition distinct from that of healthy individuals (Sittipo et al., 2022). In the realm of mental health, depression and anxiety disorders have also been associated with alterations in gut microbiome composition, further highlighting the intricate interplay between gut microbes and neurological health (Cryan et al., 2020; Suganya & Koo, 2020).

Consequently, the relationship between gut microbes and neurological conditions represents a burgeoning area of investigation. Disruptions in the gut microbiota and the production of microbial metabolites have been identified as potential contributors to a wide array of immune-related neurological disorders. Furthermore, disruptions in the gut-brain axis have been linked to the pathogenesis of both psychiatric and neurological illnesses, suggesting that gut microbiota may play a role in the development of these neurological problems.

Deconstructing the gut-brain axis: mechanisms and operations

The gut-brain axis is a dynamic, two-way communication mechanism that connects the central nervous system (CNS) with the gastrointestinal tract (GI tract) (Appleton, 2018; Rege & Graham, 2017). This intricate network comprises both direct and indirect pathways connecting cognitive and emotional centers in the brain with various functions in the intestinal realm (Rege & Graham, 2017). Regulated by the central and enteric nervous systems, as well as the neural, endocrine, and immune systems (Sudo et al., 2004), the gut-brain axis is significantly influenced by the gut microbiota. In fact, the term "microbiota-gut-brain (MGB or BGM) axis" explicitly acknowledges the role of gut microbiota in the biochemical signaling events that transpire between the GI tract and the CNS (Sudo et al., 2004).

The enteric neural system, the vagus nerve, the hypothalamic-pituitary-adrenal axis (HPA axis), the sympathetic and parasympathetic branches of the autonomic nervous system, and the gut bacteria are all parts of the gut-brain axis (Sudo et al., 2004). Functioning through diverse mechanisms, the gut-brain axis operates as follows:

Direct Signaling: The enteric nervous system's afferent neurons, which send signals to the brain via the vagus nerve, may be directly stimulated by gut bacteria. Furthermore, the gut microbiota breaks

down the available substrates to produce a variety of metabolites, such as short-chain fatty acids and neuroactive substances. These molecular signals go across several axes, eventually affecting how distant tissues operate (Appleton, 2018; Carabotti et al., 2015; Rutsch et al., 2020).

Neurotransmitters: The gut microbiome exerts its influence on brain function by regulating the production, metabolism, and transmission of neurotransmitters (Rutsch et al., 2020). For example, gut bacteria play a role in the metabolism of the amino acid tryptophan, a precursor to serotonin—a neurotransmitter pivotal in mood regulation, appetite, and sleep (Rutsch et al., 2020).

Immune System: Immune signaling and immune cells are involved in the gut-brain axis. By affecting intestinal permeability, which allows bacterial antigens to penetrate the epithelium and trigger an immune response in the gut, the brain has the potential to affect the make-up and function of the gut microbiota (Rege & Graham, 2017; Sudo et al., 2004).

Metabolites: Metabolites generated by the gut microbiome possess the capacity to elicit neurochemical and behavioral effects (Sudo et al., 2004). These metabolites can regulate gene expression and influence cellular processes in distant tissues, including the brain (Rutsch et al., 2020).

In summation, the gut-brain axis constitutes a multifaceted and bidirectional communication channel connecting the microbiome and the brain. This intricate interplay allows the microbiome to exert its influence on brain function through mechanisms involving direct signaling via the vagus nerve, neurotransmitter production, immune interactions, and the release of metabolites (Appleton, 2018; Rege & Graham, 2017; Rutsch et al., 2020; Sudo et al., 2004).

Understanding of the gut-brain axis and how it relates to neurological disorders:

The gut-brain axis plays a pivotal role as a communication bridge that links the gut and the brain, encompassing an extensive network of nerves, with a particular emphasis on the essential vagus nerve (Morkel et al., 2020). This intricate system allows the gut microbiome to exert its influence on the brain through a myriad of mechanisms, encompassing the production of hormones, immune molecules, specialized metabolites, modulation of RNAs, engagement of the vagus nerve, and interactions with both the immune and nervous systems (Barbosa & Barbosa, 2020; Bhatia et al., 2023; Morkel et al., 2020; Vakili et al., 2022; Maiuolo et al., 2021). The disruption of the gut-brain axis may emerge as a significant contributor to various diseases of the nervous system (Barbosa & Barbosa, 2020).

Altered gut microbiota and the production of microbial metabolites have been correlated with a broad spectrum of immune-related neurological disorders, encompassing developmental disorders, neurodegenerative conditions, and emotional disorders (Barbosa & Barbosa, 2020; Maiuolo et al., 2021). The perturbation of the gut microbiota balance, often referred to as gut dysbiosis, can potentially pave the way for neurological disorders through the proliferation of pathogenic bacteria (Barbosa & Barbosa, 2020). Neuro-inflammation or the onset of neurological problems brought on by bacteria may result from immune system activation, both in the gut and the brain (Morkel et al., 2020). The gut microbiome has been implicated as a plausible key susceptibility factor in the development of neurological disorders (Bhatia et al., 2023). Furthermore, gut bacteria wield substantial influence over brain development, behavior, and the host immune system (Vakili et al., 2022). Dysbiosis, characterized by an imbalance in the gut microflora, has been associated with the initiation and progression of neurological disorders (Socała et al., 2021).

Current research endeavors are also investigating how prebiotics and probiotics affect neurological diseases (Bhatia et al., 2023). Scientists are delving into the bidirectional communication pathways between the gut and brain, aiming to identify potential therapeutic targets for managing neurological disorders and enhancing our comprehension of the gut-brain axis (Bhatia et al., 2023). Nonetheless, it's crucial to recognize that for this knowledge to be effectively applied in clinical settings, we need a more comprehensive dataset to firmly establish causal connections between dysfunction in the gut-brain axis and neurological diseases (Barbosa & Barbosa, 2020).

Thus, the gut-brain axis plays a pivotal role in the realm of neurological health and disease. Alterations in the gut microbiota and the production of microbial metabolites have been closely associated with a wide array of immune-related neurological disorders. The perturbation of the gut-brain axis has been implicated in the development of both psychological and neurological diseases. Ongoing research efforts aim to elucidate the intricate mechanisms through which gut microbes influence the brain, potentially leading to the development of innovative treatments for neurological disorders.

Strategies for cultivating a flourishing gut-brain connection

Numerous successful approaches exist for nurturing a robust gut-brain axis, a critical two-way communication system connecting the gastrointestinal tract to the central nervous system. Here are some strategies to promote a robust gut-brain axis:

Dietary Choices: Diet plays a significant role in shaping the composition of the gut microbiome. Incorporating foods rich in beneficial elements such as omega-3 fatty acids from oily fish, fermented foods, high-fiber foods, and polyphenol-rich foods can positively impact the gut-brain axis (Oriach et al., 2016). A diet abundant in prebiotic and probiotic foods, like yogurt, kimchi, kefir, and kombucha, can enhance beneficial gut bacteria and support brain health (Chakrabarti et al., 2022).

Mindfulness Practices: Engaging in mindfulness practices can strengthen the connection between the gut and brain, potentially improving mood and overall well-being. Mindful eating, in particular, can contribute to a healthier gut-brain axis.

Regular Exercise: Physical activity not only enriches and promotes beneficial gut bacteria but also helps reduce stress, which can negatively affect the gut-brain axis.

Probiotics: Incorporating foods naturally containing beneficial bacteria, such as fermented foods like yogurt, kimchi, kefir, and kombucha, can contribute to a healthier gut-brain axis (Chakrabarti et al., 2022).

"Good Mood" Foods: Certain foods like dark chocolate, coffee, and tea containing flavanols have been associated with improved cognitive function and mood (Anderson et al., 2017).

In summary, promoting a thriving gut-brain axis involves a combination of dietary and lifestyle adjustments. Consuming a diet rich in prebiotic and probiotic foods, practicing mindfulness, engaging in regular physical activity, and consuming flavonol-containing foods can all play a role in nurturing a healthy gut-brain axis (Oriach et al., 2016; Anderson et al., 2017; Chakrabarti et al., 2022; Post et al., 2023).

Emerging research has highlighted the profound influence of the gut microbiome on the brain and its potential involvement in various neurological disorders. Specific neurological conditions that have been linked to gut microbes include:

Depression: Individuals with depression often exhibit alterations in their gut microbiome compared to their healthy counterparts. Some gut microbes, like *Lactobacillus* and *Bifidobacterium*, have shown positive effects on mood and behavior (de la Fuente-Nunez et al., 2018).

Autism Spectrum Disorder (ASD): The gut microbiome has been implicated in the development of ASD, with studies revealing differences in the gut microbiome of children with ASD compared to healthy children (de la Fuente-Nunez et al., 2018).

Schizophrenia: The gut microbiome has also been associated with schizophrenia, with individuals diagnosed with the condition exhibiting alterations in their gut microbiome composition (de la Fuente-Nunez et al., 2018).

Parkinson's Disease: Emerging evidence suggests a link between the gut microbiome and Parkinson's disease, with individuals affected by the disease displaying differences in their gut microbiome compared to those without the condition (de la Fuente-Nunez et al., 2018).

Multiple Sclerosis (MS): The gut microbiome has been implicated in the development and progression of MS, with individuals with MS showing distinct differences in their gut microbiome composition (Sittipo et al., 2022).

Alzheimer's Disease: The gut microbiome has been connected to Alzheimer's disease, with individuals diagnosed with the condition displaying alterations in their gut microbiome compared to healthy individuals (Cryan et al., 2020).

While more research is needed to fully comprehend the mechanisms through which gut microbes influence neurological disorders, these findings suggest that cultivating a healthy gut microbiome through dietary choices, exercise, and lifestyle modifications may support a robust gut-brain axis and potentially reduce the risk of neurological disorders (Faruqui et al., 2021; de la Fuente-Nunez et al., 2018; Tiwari et al., 2023; Sittipo et al., 2022; Cryan et al., 2020; Willyard, 2021).

Process through which microbiome affects the brain

The gut-brain axis serves as a vital communication link between the enteric microbiota residing in the gut and the central nervous system (CNS) (Carabotti et al., 2015). This communication primarily occurs through the vagus nerve, which acts as the conduit, transmitting information from the gut's luminal

environment to the CNS (Carabotti et al., 2015; Galland, 2014). Notably, experiments in vagotomized mice revealed that neurochemical and behavioral effects were absent, emphasizing the critical role of the vagus nerve as the primary modulatory pathway between the microbiota and the brain (Carabotti et al., 2015).

The influence of the microbiota on the brain is multifaceted. It involves the secretion of signaling molecules by neurons, immune cells, and enterochromaffin cells, which are regulated by the brain and can, in turn, impact the microbiota (Carabotti et al., 2015). This communication is further facilitated by the presence of neurotransmitter receptors in bacteria, enabling a direct interaction between CNS effectors and gut bacteria (Carabotti et al., 2015).

On the other hand, the microbiota's makeup and activity may be influenced by the brain. Altering intestinal permeability is one way to do this. This enables bacterial antigens to get through the epithelium and start an immune reaction in the gut mucosa. Additionally, enteric nervous system afferent neurons can be directly activated by gut bacteria, causing the vagus nerve to transmit signals to the brain (Carabotti et al., 2015).

The gut microbiome significantly contributes to this bidirectional communication by metabolizing available substrates and releasing various metabolites, including short-chain fatty acids (SCFA) and neuroactive compounds. These biochemical signals traverse different axes and play a role in modulating functions in distant tissues (Carabotti et al., 2015).

Neurologically active compounds generated by the gut microbiome also influence brain function by regulating the production, metabolism, and transmission of neurotransmitters. For instance, the microbiota metabolizes the amino acid tryptophan, a precursor to serotonin—a neurotransmitter that plays a pivotal role in mood regulation, appetite, and sleep (Carabotti et al., 2015).

Furthermore, the gut microbiota has been found to regulate myelination, a critical process involving the formation of the myelin sheath around nerve fibers. This regulation occurs by influencing the expression of myelination-related genes in oligodendrocytes (Willyard, 2021; Dash et al., 2022).

Examples of gut microbes that can influence the brain

Some examples of gut microbes that can influence the brain include:

Bacteroides fragilis: This gut bacterium has been found to produce a molecule called polysaccharide A (PSA), which can modulate the immune system and reduce inflammation in the brain (Willyard, 2021).

Lactobacillus and Bifidobacterium: These probiotic bacteria have been shown to have positive effects on mood and behavior. They can produce neurotransmitters like serotonin and gamma-aminobutyric acid (GABA), which play a role in regulating mood and anxiety (Galland, 2014).

Akkermansia muciniphila: This gut bacterium is associated with a healthy gut lining and has been linked to improved brain function. It can produce molecules that help maintain the integrity of the intestinal barrier, which may have indirect effects on brain health (Martin et al., 2018).

Faecalibacterium prausnitzii: This gut bacterium is known for its anti-inflammatory properties. It produces butyrate, a short-chain fatty acid that can reduce inflammation in the gut and potentially have positive effects on brain function (Carabotti et al., 2015).

Escherichia coli: While typically associated with infections, certain strains of *Escherichia coli* have been found to produce a metabolite called N-acylphosphatidylethanolamine (NAPE), which can have neuroprotective effects and influence brain function.

Potential treatments for mental health conditions that target the microbiome

The gut microbiome has emerged as a promising target for interventions in mental health conditions (Berding & Cryan, 2022; Butler et al., 2019). Numerous interventions that focus on targeting the microbiota have been investigated as potential strategies to address mental health issues, including mood and anxiety disorders. These interventions encompass:

Probiotics: Live microorganisms that, when given in sufficient quantities, boost the host's health.

Prebiotics: Substances that selectively stimulate the growth and/or activity of beneficial microorganisms in the gut.

Synbiotics: An amalgamation of probiotics and prebiotics that enhance gut health (Appleton, 2018).

Fecal microbiota transplant (FMT): The transfer of fecal matter from a healthy donor to a recipient to restore the recipient's gut microbiome.

Diet: Certain dietary patterns, such as the Mediterranean diet, have been associated with improved mental health outcomes.

Postbiotics and microbial metabolites: These have attracted interest as another potential gut-targeted intervention.

Collectively, the exogenous factors whose benefit to mental health is partially mediated by the gut microbiota are referred to as psychobiotics. While these interventions show promise, more research is needed to fully understand their effectiveness and mechanisms of action (Berding & Cryan, 2022; Butler et al., 2019; Fu et al., 2021).

4. Conclusion

In conclusion, the intricate link between the microbiome and the brain, as explored in this captivating journey from the gut to the gray matter, reveals an astonishing dimension of scientific exploration. As our comprehension of this intricate connection continues to advance, it becomes increasingly apparent that the well-being of our brain is intricately tied to the health of our gut. This burgeoning field not only holds great promise for insights into the prevention and treatment of neurological conditions but also underscores the significance of maintaining a well-balanced and nurtured microbiome for overall cognitive health. The profound interplay between our gut and gray matter serves as a reminder that our bodies function as complex ecosystems, and the keys to a healthier, more agile mind may well be found within the depths of our digestive system.

References:

- Anderson, S. C., Cryan, J. F., & Dinan, T. (2017). *The psychobiotic revolution: mood, food, and the new science of the gut-brain connection*. National Geographic Books.
- Appleton, J. (2018). The gut-brain axis: Influence of microbiota on mood and mental health. *Integrative Medicine: A Clinician's Journal*, 17(4), 28.
- Barbosa, P. M., & Barbosa, E. R. (2020). The gut brain-axis in neurological diseases. *International Journal of Cardiovascular Sciences*, 33, 528-536.
- Berding, K., & Cryan, J. F. (2022). Microbiota-targeted interventions for mental health. *Current opinion in psychiatry*, 35(1), 3.
- Bhatia, N. Y., Jalgaonkar, M. P., Hargude, A. B., Sherje, A. P., Oza, M. J., & Doshi, G. M. (2023). Gut-brain axis and neurological disorders-how microbiomes affect our mental health. *CNS & Neurological Disorders-Drug Targets (Formerly Current Drug Targets-CNS & Neurological Disorders)*, 22(7), 1008-1030.
- Butler, M. I., Mörk, S., Sandhu, K. V., Cryan, J. F., & Dinan, T. G. (2019). The gut microbiome and mental health: what should we tell our patients?: le microbiote intestinal et la santé mentale: que devrions-nous dire à nos patients?. *The Canadian Journal of Psychiatry*, 64(11), 747-760.
- Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: interactions between enteric microbiota, central and enteric nervous systems. *Annals of gastroenterology: quarterly publication of the Hellenic Society of Gastroenterology*, 28(2), 203.
- Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: interactions between enteric microbiota, central and enteric nervous systems. *Annals of gastroenterology: quarterly publication of the Hellenic Society of Gastroenterology*, 28(2), 203.
- Chakrabarti, A., Geurts, L., Hoyle, L., Iozzo, P., Kraneveld, A. D., La Fata, G., ... & Vauzour, D. (2022). The microbiota-gut-brain axis: pathways to better brain health. Perspectives on what we know, what we need to investigate and how to put knowledge into practice. *Cellular and Molecular Life Sciences*, 79(2), 80.
- Cryan, J. F., O'Riordan, K. J., Sandhu, K., Peterson, V., & Dinan, T. G. (2020). The gut microbiome in neurological disorders. *The Lancet Neurology*, 19(2), 179-194.
- Cryan, J. F., O'Riordan, K. J., Sandhu, K., Peterson, V., & Dinan, T. G. (2020). The gut microbiome in neurological disorders. *The Lancet Neurology*, 19(2), 179-194.
- Dash, S., Syed, Y. A., & Khan, M. R. (2022). Understanding the role of the gut microbiome in brain development and its association with neurodevelopmental psychiatric disorders. *Frontiers in Cell and Developmental Biology*, 10, 880544.
- de la Fuente-Nunez, C., Menegueti, B. T., Franco, O. L., & Lu, T. K. (2018). Neuromicrobiology: how microbes influence the brain. *ACS chemical neuroscience*, 9(2), 141-150.
- Faruqi, N. A., Prium, D. H., Mowna, S. A., Ullah, M. A., Araf, Y., Sarkar, B., ... & Rahman, M. S. (2021). Gut microorganisms and neurological disease perspectives. *Future Neurology*, 16(1), FNL53.
- Faruqi, N. A., Prium, D. H., Mowna, S. A., Ullah, M. A., Araf, Y., Sarkar, B., ... & Rahman, M. S. (2021). Gut microorganisms and neurological disease perspectives. *Future Neurology*, 16(1), FNL53.
- Fu, X., Chen, T., Cai, J., Liu, B., Zeng, Y., & Zhang, X. (2021). The Microbiome-Gut-Brain Axis, a Potential Therapeutic Target for Substance-Related Disorders. *Frontiers in microbiology*, 12, 738401.
- Galland, L. (2014). The gut microbiome and the brain. *Journal of medicinal food*, 17(12), 1261-1272.
- Galland, L. (2014). The gut microbiome and the brain. *Journal of medicinal food*, 17(12), 1261-1272.

- Maiuolo, J., Gliozzi, M., Musolino, V., Carresi, C., Scarano, F., Nucera, S., ... & Mollace, V. (2021). The contribution of gut microbiota–brain axis in the development of brain disorders. *Frontiers in neuroscience*, 15, 616883.
- Martin, C. R., Osadchiy, V., Kalani, A., & Mayer, E. A. (2018). The brain-gut-microbiome axis. *Cellular and molecular gastroenterology and hepatology*, 6(2), 133-148.
- Morkl, S., Wagner-Skacel, J., Lahousen, T., Lackner, S., Holasek, S. J., Bengesser, S. A., ... & Reininghaus, E. (2020). The role of nutrition and the gut-brain axis in psychiatry: a review of the literature. *Neuropsychobiology*, 79(1), 80-88.
- Oriach, C. S., Robertson, R. C., Stanton, C., Cryan, J. F., & Dinan, T. G. (2016). Food for thought: The role of nutrition in the microbiota–gut–brain axis. *Clinical Nutrition Experimental*, 6, 25-38.
- Post, Z., Manfready, R. A., & Keshavarzian, A. (2023, August). Overview of the Gut–Brain Axis: From Gut to Brain and Back Again. In *Seminars in Neurology*. 333 Seventh Avenue, 18th Floor, New York, NY 10001, USA: Thieme Medical Publishers, Inc..s
- Rege, S., & Graham, J. (2017). The Simplified Guide to the Gut-Brain Axis—How the gut and the brain talk to each other. *Psych Scene Hub*.
- Rutsch, A., Kantsjö, J. B., & Ronchi, F. (2020). The gut-brain axis: how microbiota and host inflammasome influence brain physiology and pathology. *Frontiers in immunology*, 11, 604179.
- Sittipo, P., Choi, J., Lee, S., & Lee, Y. K. (2022). The function of gut microbiota in immune-related neurological disorders: A review. *Journal of Neuroinflammation*, 19(1), 1-17.
- Sittipo, P., Choi, J., Lee, S., & Lee, Y. K. (2022). The function of gut microbiota in immune-related neurological disorders: A review. *Journal of Neuroinflammation*, 19(1), 1-17.
- Smith, P. A. (2015). The tantalizing links between gut microbes and the brain. *Nature*, 526(7573), 312-314.
- Socała, K., Doboszewska, U., Szopa, A., Serefko, A., Włodarczyk, M., Zielińska, A., ... & Wlaż, P. (2021). The role of microbiota-gut-brain axis in neuropsychiatric and neurological disorders. *Pharmacological Research*, 172, 105840.
- Sorboni, S. G., Moghaddam, H. S., Jafarzadeh-Esfehani, R., & Soleimanpour, S. (2022). A comprehensive review on the role of the gut microbiome in human neurological disorders. *Clinical Microbiology Reviews*, 35(1), e00338-20.
- Sudo, N., Chida, Y., Aiba, Y., Sonoda, J., Oyama, N., Yu, X. N., ... & Koga, Y. (2004). Postnatal microbial colonization programs the hypothalamic–pituitary–adrenal system for stress response in mice. *The Journal of physiology*, 558(1), 263-275.
- Suganya, K., & Koo, B. S. (2020). Gut–brain axis: role of gut microbiota on neurological disorders and how probiotics/prebiotics beneficially modulate microbial and immune pathways to improve brain functions. *International journal of molecular sciences*, 21(20), 7551.
- Tiwari, P., Dwivedi, R., Bansal, M., Tripathi, M., & Dada, R. (2023). Role of gut microbiota in neurological disorders and its therapeutic significance. *Journal of Clinical Medicine*, 12(4), 1650.
- Tiwari, P., Dwivedi, R., Bansal, M., Tripathi, M., & Dada, R. (2023). Role of gut microbiota in neurological disorders and its therapeutic significance. *Journal of Clinical Medicine*, 12(4), 1650.
- Vakili, K., Fathi, M., Yaghoobpoor, S., Sayehmiri, F., Nazerian, Y., Nazerian, A., ... & Rezaei-Tavirani, M. (2022). The contribution of gut-brain axis to development of neurological symptoms in COVID-19 recovered patients: A hypothesis and review of literature. *Frontiers in Cellular and Infection Microbiology*, 12, 983089.
- Willyard, C. (2021). How gut microbes could drive brain disorders. *Nature*, 590(7844), 22-25.
- Willyard, C. (2021). How gut microbes could drive brain disorders. *Nature*, 590(7844), 22-25.