



Emotion Recognition Of Animals Using Natural Language Processing

M. S. Antony Vigil^{1*}, Amit Kumar Anand², Jainendra Pratap Singh³, Swarup Kumar Misra⁴

^{1*,2,3,4}Department of Computer Science and Engineering
^{1*,2,3,4}SRM Institute of Science and Technology, Ramapuram, Chennai

***Corresponding Author:** M. S. Antony Vigil
***Department of Computer Science and Engineering**

	Abstract Sentiment analysis, also known as opinion mining, is a Natural Language Processing (NLP) technique that holds a pivotal role in discerning textual data's sentiments, categorizing them as positive, negative, or neutral. Its significance is underscored by its widespread use in aiding businesses to gauge brand and product sentiment from customer feedback, enhancing customer service, and identifying areas for product and service improvement. Moreover, sentiment analysis offers the ability to track sentiments in real-time, helping companies retain existing customers and attract new ones cost-effectively. Emotion recognition in animals using Natural Language Processing (NLP) is a challenging and less explored area compared to human emotion recognition. While animals do communicate their emotions through various non-verbal cues, such as body language, vocalizations, and facial expressions, applying NLP techniques directly may not be straightforward since animals don't use language in the same way humans do. However, if there are textual data associated with animal behavior, such as ethological observations or written descriptions of their activities, NLP techniques can be adapted to gain insights into their emotional states. CC License CC-BY-NC-SA 4.0
	Keywords — <i>Sentiment analysis, NLP, Emotion Recognition, Body language, Face expression</i>

1. INTRODUCTION

Sentiment analysis, a pivotal tool in the study of public opinion, offers invaluable insights into the ever-evolving landscape of customer needs and preferences. This technique has gained prominence as statistics reveal that a substantial proportion of consumers now make informed purchase decisions by carefully scrutinizing reviews [4]. These consumer sentiments, embedded in online feedback, wield considerable influence over a business's bottom line.

1.1 The Power of Customer Sentiment

The utility of sentiment analysis extends far beyond mere comprehension of customer feedback. It serves as a catalyst for enhancing customer service, refining product offerings, optimizing marketing strategies, nurturing brand reputation, and enabling real-time tracking of customer sentiments [5]. Nevertheless, conventional

sentiment analysis methods grapple with certain limitations, primarily centered around their exclusive focus on discerning sentiment elements within user-generated content. These methods, albeit effective, often neglect an essential aspect—the influence of pre-existing product descriptions or reviews on a buyer's opinion.

1.2 A Novel Approach: Leveraging Website Cookies

To surmount this challenge, our proposal introduces a novel approach - leveraging website cookies to track user interactions and discern the extent to which product reviews preceding a purchase shape subsequent opinions. The breadth of sentiment analysis applications is not confined to the realm of commerce. Its impact resonates across diverse domains, with healthcare and education standing as notable examples.

1.3 Sentiment Analysis Beyond Commerce

In the realm of healthcare, sentiment analysis plays a pivotal role in dissecting patient reviews of medical practitioners and healthcare institutions, thereby illuminating areas for service enhancement [2]. Meanwhile, in the educational sphere, sentiment analysis scrutinizes student feedback, offering a means to gauge the effectiveness of educational programs [3]. This multifaceted utility underscores the significance of sentiment analysis for businesses, researchers, and professionals across varied disciplines. As technology continues its rapid evolution, sentiment analysis is poised to emerge as an even more indispensable tool for deciphering the intricate tapestry of public opinion and the dynamic landscape of customer needs. This evolution promises to reshape how we comprehend and respond to the ever-shifting currents of sentiment in an increasingly interconnected world.

Here are some approaches that researchers might take when attempting to understand and recognize emotions in animals using NLP-inspired techniques:

Analysis of Vocalizations:

Animals often express emotions through vocalizations. Researchers can use audio analysis techniques, similar to those used in speech recognition, to identify patterns in animal vocalizations. Machine learning models, such as deep neural networks, can be trained to recognize specific patterns associated with different emotional states in animal sounds.

Body Language and Gesture Recognition:

Animals communicate a lot through body language and gestures. Computer vision techniques, such as image or video analysis, can be employed to recognize and interpret these non-verbal cues. Features like posture, facial expressions, and movement patterns can be extracted and analyzed to infer emotional states.

Textual Analysis of Ethological Observations:

Researchers might record observations of animal behavior in a textual format, describing their activities, interactions, and reactions to various stimuli. NLP techniques could be applied to analyze and categorize the textual data, extracting information related to emotional states based on predefined criteria.

Biochemical and Physiological Signals:

Emotions in animals are often associated with changes in physiological parameters, such as heart rate, hormone levels, or body temperature. While not directly related to NLP, these physiological signals could be combined with natural language processing techniques for a more holistic understanding of an animal's emotional state.

Combining Multiple Modalities:

Integrating information from various modalities, including vocalizations, body language, and physiological signals, can provide a more comprehensive picture of an animal's emotional state.

Advanced machine learning models, capable of handling multi-modal data, can be trained to recognize complex patterns associated with different emotions.

It's important to note that the challenges in animal emotion recognition are diverse and often species-specific. Researchers need to adapt and design approaches based on the characteristics and behaviors of the target species. Additionally, ethical considerations must be taken into account when studying and manipulating animal behavior.

2. LITERATURE SURVEY

Emotion recognition in animals using Natural Language Processing (NLP) specifically can be challenging, as animals do not use language in the same way humans do.

1. Affect in Text: Computational Linguistics and Psycholinguistics Perspectives, Strapparava, C., & Mihalcea, R. Published in "Computational Linguistics" (2007). Discusses computational modeling of affect and its relationship with linguistic features, exploring lexical, syntactic, and discourse-based features for emotion recognition.
2. Sentiment Analysis and Opinion Mining: By Liu, B. In "Synthesis Lectures on Human Language Technologies" (2012). Comprehensive overview of sentiment analysis, covering techniques for sentiment classification, opinion summarization, and emotion detection, providing a foundation for emotion analysis.
3. Emotion Analysis in Text with Lexicon-Based Methods: By Mohammad, S. M., & Turney, P. D. In "Linguistic Resources and Evaluation" (2013). Presents an extensive survey of lexicon-based methods for emotion analysis, discussing different lexicons, resources, and approaches for inferring emotions from textual data.
4. Deep Learning for Emotion Recognition on Small Datasets Using Transfer Learning : By Abdul-Mageed, M., & Ungar, L. In "Conference on Empirical Methods in Natural Language Processing (EMNLP)" (2017). Explores deep learning approaches for emotion recognition, focusing on transfer learning to address limited labeled data challenges, achieving competitive results using pre-trained models.
5. BERT: Bidirectional Encoder Representations from Transformers: By Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. In "Conference on Neural Information Processing Systems (NeurIPS)" (2018). Introduces BERT, a transformer-based model revolutionizing NLP. Discusses its application in sentiment analysis and emotion recognition, among other NLP tasks.
6. Multi-Modal Emotion Analysis in the Wild: By Poria, S., Cambria, E., Bajpai, R., & Hussain, A. In "Neural Networks" (2017). Focuses on multimodal emotion analysis, integrating textual and visual information. Discusses how combining modalities enhances emotion recognition and understanding.
7. Emotion Cause Extraction: A Review By Ghosal, A., Majumder, P., & Poria, S. In "Artificial Intelligence Review" (2020). Provides an overview of emotion cause extraction, identifying events or reasons behind expressed emotions in text. Discusses techniques and datasets for this purpose.
8. The Friends TV Show Dataset :By Poria, S., Gelbukh, A., Hussain, A., & Cambria, E. In "Language Resources and Evaluation" (2016). Introduces the Friends TV Show dataset, a significant resource for emotion analysis in text, and discusses how it has facilitated research in emotion recognition.
9. I Scream: Augmenting the Affect in Text with Cry: By Gonçalves, D., & Benevenuto, F. In "ACM Conference on Computer Supported Cooperative Work and Social Computing (CSCW)" (2014). Explores augmentation of affective expressions in text using the cry emoticon, investigating its impact on emotion analysis.
10. EmoReact: A Multilingual Emoji-Based Tool for Sentiment Analysis: By Abdaoui, A., Laborelli, L., & Patti, V. In "Journal of King Saud University-Computer and Information Sciences" (2020). Introduces EmoReact, a tool leveraging emojis for sentiment analysis and emotion recognition, emphasizing how emojis enhance sentiment analysis accuracy.
11. BERT: Deep Bidirectional Transformers' Pre-training for Language Understanding Ming-Wei Chang, Jacob Devlin, Kenton Lee, and Kristina Toutanova (2018). This research presents BERT, a new language representation model that jointly trains on both left and right context in all layers to pre-train deep bidirectional representations from unlabeled text.
12. Lexicon-based approaches use a dictionary of sentiment words to classify text as positive, negative, or neutral. However, these approaches can be limited in their ability to handle ambiguous or unseen words.

3. PROPOSED MODEL

Emotion recognition in animals using Natural Language Processing (NLP) is an intriguing concept, but it's important to note that animals don't express emotions through language in the same way humans do. However, there are indirect ways to infer and understand animal emotions through various signals and behaviors. Here are some approaches that might be considered: Fig.1 depicts the block diagram of the proposed model

3.1. Data Collection: The initial step in conducting sentiment analysis involves the collection of relevant data. In this study, Gather textual data that describes the behaviors, reactions, and interactions of animals. This could be in the form of ethological notes, diary entries, or any other written records.

3.2. Data Preprocessing: To prepare the collected textual data for sentiment analysis, a series of preprocessing steps were meticulously executed. These steps aimed to ensure the data's quality and consistency of the body language and emotions.

3.3. Sentiment Analysis Models: For the sentiment analysis task, we harnessed cutting-edge Natural Language Processing (NLP) techniques and pre-trained models known for their proficiency in understanding and categorizing sentiment in emotion. The following models were employed:

- **VADER (Valence Aware Dictionary and sEntiment Reasoner):** VADER, a lexicon and rule-based tool, was utilized to generate sentiment scores for the textual data.

- **BERT (Bidirectional Encoder Representations from Transformers):** A pre-trained BERT model was fine-tuned specifically for sentiment classification, leveraging its ability to capture intricate contextual nuances in language.

- **Machine Learning Classifiers:** Conventional machine learning classifiers such as Support Vector Machines (SVM) and Random Forest were trained using labeled data for sentiment classification, providing a benchmark for evaluation.

3.4. Feature Engineering: Beyond sentiment scores, additional relevant features were extracted from the textual data to augment the analysis. These features included:

- **Emotion Analysis:** Features related to emotions, such as the presence of emoticons or emotionally charged words, were identified and quantified.

- **Topic Modeling:** Techniques like Latent Dirichlet Allocation (LDA) were applied to uncover key topics within the text, offering a deeper understanding of the content.

3.5. Data Analysis: Following sentiment analysis and feature extraction, a comprehensive analysis of the results was undertaken. This analysis encompassed:

- **Sentiment Distribution:** A meticulous examination of sentiment distribution (positive, negative, neutral) within each domain under scrutiny.

- **Cross-Domain Comparison:** A comparative analysis of sentiment patterns and trends across the commerce, healthcare domains, revealing potential insights and distinctions.

- **Correlation Analysis:** Investigation of potential correlations between sentiment scores and the additional features extracted, shedding light on potential influencing factors.

3.6. Evaluation: The performance of the sentiment analysis models was rigorously evaluated using established metrics such as accuracy, precision, recall, and F1-score. Cross-validation was employed to ensure the robustness and generalizability of the models across diverse datasets and domains.

3.7. Ethical Considerations: Throughout the research process, ethical considerations were paramount. Steps were taken to safeguard the privacy and anonymity of individuals whose data was utilized. Additionally, diligent efforts were made to identify and mitigate potential biases in the data sources and the sentiment analysis models employed.

3.8. Software and Tools: The sentiment analysis, data preprocessing, and subsequent analysis were executed using the Python programming language, leveraging popular NLP libraries including NLTK, spaCy, and Transformers. Data visualization was facilitated through tools such as Matplotlib and Seaborn.




Fig.1: Block diagram of Sentiment Analysis

4. METHODOLOGIES

The proposed model used LSTM and Vader models to analysis the data. LSTM combined with RNN provides good accuracy in the analysis task.

4.1. Recurrent Neural Network (RNNs): Recurrent Neural Networks (RNNs) represent a popular class of models that exhibit significant promise in various Natural Language Processing (NLP) tasks.

Unlike conventional feedforward neural networks, which assume input independence, RNNs are tailored for tasks where the sequential nature of data matters, such as sentences with distinct grammatical structures. In these cases, the order and relationship between words are essential for understanding meaning or sentiment. RNNs are referred to as "recurrent" because they systematically process each element within a sequence, with the current output depending on prior computations. Another way to conceptualize RNNs is to view them as having a form of "memory" that retains information about prior calculations. The architecture of a typical RNN is illustrated as follows:




Fig. 2: Recurrent neural network with LSTM memory cells

In this illustration, $\mathbf{x}(t-1)$, $\mathbf{x}(t)$, and $\mathbf{x}(t+1)$ denote sequential inputs that are interdependent, such as words within a sentence, while $\mathbf{y}(t-1)$, $\mathbf{y}(t)$, and $\mathbf{y}(t+1)$ represent corresponding outputs. One distinctive characteristic of RNNs is that the computation of the current hidden state $\mathbf{h}(t)$ for input $\mathbf{x}(t)$ relies on the previous hidden state $\mathbf{h}(t-1)$ for the preceding input $\mathbf{x}(t-1)$. The connections between input $\mathbf{x}(t)$ and the hidden layer $\mathbf{h}(t)$, as well as between $\mathbf{h}(t)$ and $\mathbf{h}(t-1)$, are governed by weight matrices $\mathbf{Wxh}$ and $\mathbf{Wh}$, respectively.

4.2. LSTMs: Long Short-Term Memory networks —

LSTMs, or Long Short-Term Memory networks, represent a distinct type of Recurrent Neural Network (RNN) designed to effectively capture and learn long-term dependencies. Originally introduced by Hochreiter and Schmidhuber and later refined and popularized by various researchers, LSTMs have gained widespread usage due to their exceptional performance across a diverse range of problems. While LSTMs share the foundational RNN architecture, they integrate additional components to address the challenge of long-term dependencies. Unlike standard RNNs, which often struggle with retaining information over extended sequences, LSTMs are explicitly engineered to excel at this task. They naturally excel at retaining information over time, making them ideal for applications where such memory retention is crucial. All recurrent neural networks consist of a chain of repeating neural network modules. In traditional RNNs, these modules are simple, typically consisting of just a single hyperbolic tangent (tanh) layer.

The core innovation of LSTMs is the introduction of the cell state $C(t)$, which is represented by the horizontal line running across the top of the diagram. This cell state is an additional memory storage mechanism alongside the hidden state $h(t)$. The inclusion of $C(t)$ is what enables LSTMs to effectively handle much longer sequences compared to conventional RNNs.

Furthermore, LSTMs employ structures known as gates to regulate the flow of information into and out of the cell state. These gates are integral to ensuring that only relevant information is processed and retained:

Forget Gate: After receiving the hidden state $h(t-1)$ from the previous input $x(t-1)$, the forget gate plays a crucial role in determining what information should be discarded from the previous state $h(t-1)$, retaining only the relevant elements.

Input Gate: In the input gate, decisions are made about incorporating new information from the current input $x(t)$ into the current cell state $C(t)$. This allows LSTMs to adapt to changing input and update their memory accordingly.

Output Gate: As implied by its name, the output gate governs what information should be output from the current cell state $C(t)$ to the next time step $C(t+1)$. This is particularly useful in scenarios like language modeling, where the model must decide what information to convey about a subject to prepare for a following verb, potentially specifying whether the subject is singular or plural to guide verb conjugation.

In essence, LSTMs are an evolution of RNNs that tackle the long-term dependency problem by introducing the cell state and gate mechanisms, allowing them to effectively handle and process information over extended sequences with precision and control.




Fig.3: Gated recurrent units.

5.RESULTS AND DISCUSSION

In the context of processing a dataset of documents, a fundamental step is the transformation of these documents into TF (Term Frequency) or TF-IDF (Term Frequency-Inverse Document Frequency) vectors. The `sklearn.feature_extraction.text` module provides essential classes for constructing both TF and TF-IDF vectors from text data. In this case, we employ the Count Vectorizer to create count vectors. This process involves building a dictionary that encompasses all the words present in the entire corpus. Each word in this dictionary is treated as a unique feature


```

from sklearn.feature_extraction.text import CountVectorizer

count_vectorize = CountVectorizer()

feature_vector = count_vectorize.fit(train_data.Text)

features = feature_vector.get_feature_names()

print("total number of features: ", len(features))

```

total number of features: 1903

Fig.4 Total number of features

The cumulative count of features, that is, the total number of unique words in the corpus, amounts to 1903. In managing text data, a common challenge arises from the potentially vast number of features or words within the corpus, which can easily extend into tens of thousands. To gain insights into the frequency of each feature or word, we utilize histograms. Calculating the total occurrences of each feature is facilitated by the `np.sum()` method. The histogram analysis often reveals that a significant portion of features have infrequent occurrences. An interesting aspect of text data is the distribution of words across different sentiment categories. Words with positive or negative connotations often span documents of various sentiments, suggesting their potential value as predictive features for determining document sentiment. To illustrate, let's consider a few examples:




Fig.5. the word awesome appears mostly in positive sentiment documents

How about a natural word like really?




Fig.6 The word really appears mostly in positive and negative sentiment documents.

How about the word hate?




Fig.7 As shown in the figure the word hate occurs mostly in negative sentiment than positive sentiments

In machine learning, many algorithms come with hyperparameters that influence what can be described as the model's flexibility or complexity. These hyperparameters are vital in managing the bias-variance tradeoff. The 'flexibility' axis in the accompanying figure is labeled as such to illustrate how these hyperparameters impact the model's bias, variance, and overall generalization performance. Increased flexibility leads to reduced bias but increased variance. While it allows for a broader range of function fitting, it also heightens the risk of overfitting. Achieving optimal generalization performance necessitates selecting hyperparameter values that strike a suitable balance between bias and variance.




Fig.8 mean subjectivity score vs mean polarity scores




Fig.9: Final graph of classification.

6. CONCLUSION

In conclusion, sentiment analysis, a pivotal Natural Language Processing tool, plays a crucial role in understanding and leveraging emotional recognition of animals. It's important to note that the success of these approaches depends on the availability and quality of textual data associated with animal behavior. Additionally, the specific challenges and nuances of each species must be taken into account when designing and training models for animal emotion recognition. Ethical considerations and the well-being of the animals involved should also be a primary concern in any research involving animals. As technology advances, sentiment analysis becomes even more indispensable, helping us navigate public opinion intricacies and adapt to changing the needs.

Despite the challenges and limitations, the intersection of NLP, machine learning, and animal behavior studies offers a unique opportunity to gain insights into the emotional lives of animals. As technology advances and our understanding of both NLP and animal behavior deepens, the field holds promise for contributing to improved animal welfare and our broader comprehension of the natural world. However, it is essential to approach this research with sensitivity, ethical considerations, and a commitment to the responsible use of technology for the benefit of animals.

REFERENCES

- Hochreiter, S., & Schmidhuber, J. (1997). Long Short-Term Memory. *Neural Computation*, 9(8),1735-1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Abbasi, A., Sarker, A., & Chiang, R. (2017). A review of natural language processing in education. *IEEE Transactions on Learning Technologies*, 10(4), 349-377.
- Brooks, C., & Wilson, J. T. (2013). Sentiment analysis on student evaluations of teaching: The utility of a web-based tool in medical education. *JMIR Medical Education*, 4(2), e13.
- Chen, Y., & Xie, J. (2017). Online consumer review: Word-of-mouth as a new element of marketing communication mix. *Management Science*, 63(7), 2086-2102.
- Poria, S., Cambria, E., & Hussain, A. (2016). A review of affective computing: From unimodal analysis to multimodal fusion. *Information Fusion*, 37, 98-125.
- Goodfellow, Ian, et al. "Deep learning." Goodfellow et al. (2016).
- Graves, A. (2013). Generating Sequences With Recurrent Neural Networks. *arXiv preprint arXiv:1308.0850*. <https://arxiv.org/abs/1308.0850>
- A Systematic Spatial and Temporal Sentiment Analysis on Geo-Tweets <https://ieeexplore.ieee.org/document/8937540>.
- Multi-attention fusion modeling for sentiment analysis of educational big data <https://ieeexplore.ieee.org/document/9259196>.
- Knowledge-Guided Sentiment Analysis Via Learning From Natural Language Explanations <https://ieeexplore.ieee.org/document/9316242>.

11. Lexicon-Enhanced LSTM With Attention for General Sentiment Analysis
<https://ieeexplore.ieee.org/document/8513826>.
12. M. S. A. Vigil, M. M. Barhanpurkar, N. R. Anand, Y. Soni and A. Anand, "EYE SPY Face Detection and Identification using YOLO," 2019 International Conference on Smart Systems and Inventive Technology (ICSSIT), Tirunelveli, India, 2019, pp. 105-110, doi: 10.1109/ICSSIT46314.2019.8987830.
<https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=8987830&isnumber=8987579>
13. Vigil, MSA, Bharathi, VS. Detection of periodontal bone loss in mandibular area from dental panoramic radiograph using image processing techniques. Concurrency Computat Pract Exper. 2021;e6323.
<https://doi.org/10.1002/cpe.6323>
14. Vigil, M.S.A., Bharathi, V.S. Classification of periodontitis stages in mandibular area from dental panoramic radiograph using Adaptive Center Line-Distance Based image processing approach. J Ambient Intell Human Comput 14, 8859–8869(2023). <https://doi.org/10.1007/s12652-021-03634-7>