



Artificial Intelligence-Based Machine and Deep Learning Techniques That Use Brain Waves to Detect Depression

Uruj Jaleel^{1*}, Parbhat Gupta², Dr. Praveen Kumar Gupta³, Sandeep Bharti⁴, Jyoti Sehrawat⁵, Ajit Singh⁶

^{1,3}Alliance College of Engineering & Design, Alliance University, Central Campus Bengaluru, Karnataka, India

²SRM Institute of Science and Engineering, NCR Campus, Modinagar, UP, India

⁴Meerut Institute of Technology, Meerut, UP, India

^{5,6}Dr. K. N. Modi Institute of Engineering and Technology, Modinagar, UP, India

Email: parbhatg@srm.edu.in², praveenkumar.gupta@alliance.edu.in³, sandeep.bharti@mitmeerut.ac.in⁴, jyotisehrawat4990@gmail.com⁵, myemailajit@gmail.com⁶

*Corresponding author's E-mail: dr_urujjaleel@yahoo.com

Article History	Abstract
Received: 06 June 2023 Revised: 05 Sept 2023 Accepted: 18 Oct 2023	Electroencephalogram (EEG) signal-based emotion recognition has attracted wide interests in recent years and has been broadly adopted in medical, affective computing, and other relevant fields. Depression has become a leading mental disorder worldwide. Evidence has shown that subjects with depression exhibit different spatial responses in neurophysiologic signals from the healthy controls when they are exposed to positive and negative. Depression is a common reason for an increase in suicide cases worldwide. EEG plays an important role in E-healthcare systems, especially in the mental healthcare area, where constant and unobtrusive monitoring is desirable. EEG signals can reflect activities of the human brain and represent different emotional states. Mental stress has become a social issue and could become a cause of functional disability during routine work. This Research presents deep learning technique for detecting depression using EEG. The algorithm first extracts features from EEG signals and classifies emotions using machine and deep learning techniques, in which different parts of a trial are used to train the proposed model and assess its impact on emotion recognition results. The simulation is performed using the Python spyder software. The precision of the proposed work is 99% while in the previous work it is 91.00%. Similarly the other parameters like Recall and F_Measure is 94% and 97% by the proposed work and 88.00% and 89.00% by the previous work. The overall accuracy achieved by the proposed work is 96.48% while previous it is achieved 91.00%. The error rate of proposed technique is 3.52% while 9.008% in existing work. Therefore, it is clear from the simulation results; the proposed work is achieved significant better results than existing work.
CC License CC-BY-NC-SA 4.0	Keywords: EEG, LSTM, CNN, KNN, LDA, Accuracy, Cyber.

1. Introduction

Depression, as a common illness worldwide, is classified as a mood disorder and described as feelings of sadness or anger that interfere with a person's everyday activities. According to the World Health Organization, it is likely to be the leading global disease by 2030. Depression disorder is a pathological process that causes many symptoms, result in limited mental and physical functionality. It is often accompanied by cognitive impairments, which may increase the risk of

Alzheimer's disease and suicide and accelerate cognitive decline. The earlier depression is detected, the easier it is to treat. As a low-cost, noninvasive acquisition, and high temporal resolution technique, electroencephalography is widely used in neural systems and rehabilitation engineering [11]. This work is focused on the experimental paradigm, emotion feature extraction, feature selection, machine learning, and the dataset for training and testing, particularly on spatial information feature extraction and selection [12], [15]. This focus was chosen because many studies have shown that subjects with depression exhibit different spatial responses in neurophysiological signals compared to healthy controls, when they are exposed to stimuli. Many studies have been conducted on depression; some studies focused on the resting-state, whereas others focused on tasks [2] [6] [13].

PREVALENCE PER 100,000			
DEPRESSIVE DISORDERS		CONDUCT DISORDERS	
Tamil Nadu	4,796	Jharkhand	983
Andhra Pradesh	4,563	Bihar	974
Telangana	4,356	Meghalaya	961
Odisha	4,159	Uttar Pradesh	927
Kerala	3,897	Nagaland	924
ANXIETY DISORDERS		IDIOPATHIC DEVELOPMENTAL INTELLECTUAL DISABILITY	
Kerala	4,035	Bihar	6,339
Manipur	3,760	Uttar Pradesh	5,503
West Bengal	3,480	Madhya Pradesh	5,216
Himachal Pradesh	3,471	Assam	5,121
Andhra Pradesh	3,462	Jharkhand	4,940

Figure 1.1: Mental Health Data (Indian Health Report)

Existing System

EEG signals are nonstationary and nonlinear signals, similar to many other physiological signals [1] [2]. To analyze these signals, linear and nonlinear features are typically used, such as the power spectrum density, Lempel-Ziv complexity, variance, mobility, fluctuations, Higuchi fractal, approximate entropy, Kolmogorov entropy, correlation dimension, Lyapunov exponent, and permutation entropy. To analyze our hypothesis effectively, it was necessary to select optimal features, as some dimension features may mislead the classifiers. The BestFirst, Greedy Stepwise (GSW), Genetic Search, and Rank Search approaches, based on correlation feature selection, are typical data mining search methods, and the Bayes Net, support vector machine (SVM), k-nearest neighbor (KNN), logistic regression (LR), linear discriminant analysis (LDA), and random forest approaches are widely used for discriminating classes. This research presents effective EEG-based detection method for depression classification by employing spatial information, namely the task-related common spatial pattern (TCSP) [3] [4] [8].




Figure 1.2: Depression statics (WHO report)

Subject-independent k-fold cross-validation (CV) and leave-one-subject-out (LOSO) CV are two widely used EEG classification strategies. In fact, when $k=1$, the LOSO method is a special case of the k-fold technique. As the LOSO approach can enjoy more training data and adjust super-parameters on each subject, it will always achieve better results compared with the k-fold method. When detecting a potential depression patient, we chose the LOSO strategy to evaluate the model for detecting depression patients in this study, to make the best use of the existing data [8].

Problem Identifications

There has been continues research done from EEG with different result. This different result has been due to diversity in different aspects of methods used in the research. The diversities are mainly in aspects of emotion selection, experiment environment, techniques of data preprocessing and feature selection [12]. Due to all this factors, it is not easy to compare and chose the method which can be said as the best classifier. Hence, there is always room for the development of better classifier suitable for specific application. There are many of the challenges for android malware detection in this research area-

- Low accuracy rate of true data prediction from given dataset.
- Using traditional System Analysis alone not sufficient for proper feature extraction.
- More classification error and system analysis does not provide exact results.

Proposed Work

The main contributions of this work will be summarized as follows.

- To collect stress emotion EEG based dataset from kaggle website.
- To implement proposed approach based on machine/deep learning technique [5] [6] [9] [14], [16].
- To simulate proposed method on lspyder python 3.7 software.
- To prediction of various parameters like precision, recall, f-measure and accuracy.
- To generate results graph and compare from previous work.




Figure 4.1: Flow Chart

Steps-

1. Firstly, download the EEG dataset from kaggle website, which is a large dataset provider and machine learning repository Provider Company for research [6] [8].
2. Now apply the preprocessing of the data, here handling the missing data, removal null values.
3. Now extract the data features and evaluate in dependent and independent variable.
4. Now apply the classification method based on the machine learning (KNN) and deep learning (LSTM) approach [7] [9].
5. Now generate confusion matrix and show all predicted class like true positive, false positive, true negative and false negative.
6. Now calculate the performance parameters by using the standard formulas in terms of the precision, recall, F_measure, accuracy and error rate.




Figure 4.2: Class Diagram

Figure 4.2 is presenting the class diagram of the proposed model. The various steps in this model make complete the prediction work.

2. Materials And Methods

The proposed model shows the main steps for preprocessing stage, feature extraction, and classification. Develop an effective EEG-based detection method for depression classification by employing spatial information technique. In this process take EEG signal dataset to predict depression patient's emotion as positive and negative [7]. For that the first process is to preprocess the dataset to remove missing values and null values from the taken EEG dataset. In order to classify different emotions, we need to record EEG signals from different subjects and then process them to extract different features. The data sets are made from the features and then we classify the dataset. In this process we propose machine learning (KNN) and deep learning (LSTM) algorithms to classify the depression patient's emotion as positive and negative [9]. Finally, it improves the accuracy of classifying depression patients emotion as positive and negative [8].

MODULE DESCRIPTION

- Data selection and loading
- Data Preprocessing
- Feature Selection
- Classification
- Prediction
- Result Generation

3. Results and Discussion

The Final Result will get generated based on the overall classification and prediction. The performance of this proposed approach is evaluated using some measures like

- Accuracy
- Precision
- Recall
- F1-measure
- Sensitivity
- Specificity

The final result will get based on the overall classification and prediction. For the results parameters calculation firstly generate the confusion matrix.

A confusion matrix is a table that is often used to describe the performance of a classification model (or "classifier") on a set of test data for which the true values are known. The confusion matrix itself is relatively simple to understand, but the related terminology can be confusing.

True Positive (TP): Predicted values correctly predicted as actual positive

False Positive (FP) : Predicted values incorrectly predicted an actual positive. i.e., negative values predicted as positive

False Negative (FN): Positive values predicted as negative

True Negative (TN): Predicted values correctly predicted as an actual negative We compute the accuracy test from the confusion matrix:

This framework shows the revised and wrong expectations, in correlation with the real marks. Every disarray network line shows the Real/Genuine marks in the test set, and the segments show the anticipated names by classifier. Something to be thankful for about the disarray grid is that it shows the model's capacity to effectively foresee or isolate the classes.




Figure 4.5: Prediction class metrics

- Precision is a proportion of the exactness, given that a class name has been anticipated. It is characterized by:

$$\text{Precision} = \text{True Positive} / (\text{True Positive} + \text{False Positive})$$

- Recall Is The True Positive Rate:

$$\text{Recall} = \text{True Positive} / (\text{True Positive} + \text{False Negative})$$

- F1-Score is the symphonious normal of the accuracy and review, where a F1 score arrives at its best worth at 1(which addresses wonderful accuracy and review) and its most noticeably awful at 0
- $F1\text{-Score} = 2 \times (\text{precision} \times \text{recall}) / (\text{precision} + \text{recall})$

Accuracy

It is defined as the percentage of correct predictions for the test data. It can be calculated easily by dividing the number of correct predictions by the number of total predictions.

$$\text{Accuracy} = (TP + TN) / (TP + TN + FP + FN)$$

Error Rate

The inaccuracy of predicted output values is termed the error of the method [7]. If target values are categorical, the error is expressed as an error rate. This is the proportion of cases where the prediction is wrong.

$$\text{Error Rate} = 100 - \text{Accuracy}$$

Result Analysis

The simulation starts from taking the dataset. In this dataset the various features value mention like mean_d_10_a, mean_d_11_a, mean_d_12_a, mean_d_13_a, mean_d_14_a, mean_d_15_a, mean_d_16_a, mean_d_17_a, mean_d_18_a, mean_d_19_a, mean_d_20_a, mean_d_21_a, mean_d_22_a etc.




Figure 4.1: Original dataset in .csv file

The figure 4.1 is showing the dataset, which is taken from the kaggle machine learning website.




Figure 4.2: X train

Figure 4.2 is showing the x train of the given dataset. The given dataset is divided into the 70-80%% part into the train dataset.



Figure 4.3: Y train

Figure 4.3 is showing the y train of the given dataset. The given dataset is divided into the 70-80%% part into the train dataset.




Figure 4.5: Y test

Figure 4.5 is showing the y test of the given dataset. The given dataset is divided into the 20-30% part into the train dataset.




Figure 4.6: Prediction

Figure 4.6 is presenting the prediction from given dataset values. The upper and lower values are classified with different colour.





Figure 4.4: X test


Figure 4.4 is showing the x test of the given dataset. The given dataset is divided into the 20-30% part into the train dataset.



Index	label
NEUTRAL	716
POSITIVE	708
NEGATIVE	708

Figure 4.7: Count

Figure 4.7 is presenting signal label count, either it is neutral, positive or the negative signal on the other hand how many data is positive class, negative or neutral class.



	precision	recall	f1-score	support
0	1.00	0.90	0.95	146
1	0.99	0.96	0.97	159
2	0.85	0.99	0.92	122
micro avg	0.95	0.95	0.95	427
macro avg	0.95	0.95	0.95	427
weighted avg	0.96	0.95	0.95	427

Figure 4.8: Classification

Figure 4.8 is presenting classification model. The values of precision, recall, f1 shown with respect of micro, macro and weighted average is shown.




Figure 4.9: EEG signal

Figure 4.9 is presenting EEG signal in graphical representation form. The EEG signal shown from 0 to 700 label [10].




Figure 4.10: Classification of KNN technique

Figure 4.10 is presenting classification of the K-Nearest Neighbor approach. The various parameters values like precision, recall, f1 score mentioned.

LSTM				
	precision	recall	f1-score	support
0	1.00	0.90	0.95	146
1	0.99	0.96	0.97	159
2	0.85	0.99	0.92	122
micro avg	0.95	0.95	0.95	427
macro avg	0.95	0.95	0.95	427
weighted avg	0.96	0.95	0.95	427

Figure 4.11: Classification of LSTM technique

Figure 4.11 is presenting classification of the long short term memory. The various parameters values like precision, recall, and f1 score mentioned.




Figure 4.12: Confusion matrix

Figure 4.12 is presenting the Confusion matrix of proposed LSTM technique. It is matrix to the prediction of the given dataset.




Figure 4.13: Class balance

Figure 4.13 is showing class balance of the proposed technique. The total count is approx700.

Table 4.1: Simulation Results of KNN

Sr.No.	Parameter Name	Value
1	Accuracy	94.14%
2	Classification error	5.86%
3	Precision	97%
4	Recall	94%
5	F-measure	95%

Table 4.1 is showing the simulation results of the K-Nearest Neighbor machine learning technique. The overall accuracy is 94.14% with 5.86% error rate.

Table 4.2: Simulation Results of LSTM

Sr.No.	Parameter Name	Value
1	Accuracy	96.48 %
2	Classification error	3.52 %
3	Precision	99%
4	Recall	94%
5	F-measure	97%

Table 4.2 is showing the simulation results of the long short term memory technique. The overall accuracy is 96.48% with 3.52% error rate.

Table 4.3: Result Comparison

Sr.No.	Parameters	Previous Work [1]	Proposed Work
1	Accuracy	91%	96.48 %
2	Classification Error	9 %	3.52 %
3	Precision	91%	99%
4	Recall	88%	94%
5	F-measure	89%	97%

Figure 4.3 is showing the result comparison of the previous and proposed work.

Similarly, the other parameters like Recall and F_Measure is 94 % and 97 % by the proposed work and 88.00 % and 89.00 % by the previous work. The overall accuracy achieved by the proposed work is 96.48 % while previous it is achieved 91.00 %. The error rate of proposed technique is 3.52 % while 9.008 % in existing work. Therefore, it is clear from the simulation results; the proposed work is achieved significant better results than existing work.




Figure 4.14: Result graph-parameters

Figure 4.21 is presenting the simulation results values in the graphical form. The precision, recall and f measure are shown of the proposed and previous work.




Figure 4.15: Accuracy Result graph

Figure 4.15 is presenting the simulation results graph of the accuracy. The proposed work achieved better accuracy than existing work.




Figure 4.16: Classification

Figure 4.16 is presenting the simulation results graph of the classification error. The proposed work achieved better accuracy than existing work.

4. Conclusion

As a mood disease, depression is affecting an increasing number of people. As a face-in-the-crowd task stimulus experiment based on frequency information filtering, time information feature extraction, and spatial information feature selection, we developed an improved EEG-based feature classification method employing spatial information, which is useful for the detection of patient's with depression. By employing the classification performance was significantly improved, which indicates that can enhance the spatial differences before feature extraction; however, we should be aware of the limitation of the datasets.

Depression as a mental disorder with clinical manifestations such as significant depression and slow thinking is always accompanied by abnormal brain activity and obvious emotional alternation. Therefore, as a method tracking the brain functions, EEG can detect these abnormal activities.

This Research presents machine and deep learning techniques for detecting depression using EEG. Simulation is performed using python synder 3.7 software. The precision of the proposed work is 99% while in the previous work it is 91.00%. Similarly, the other parameters like Recall and F_Measure is 94% and 97% by the proposed work and 88.00% and 89.00% by the previous work. The overall accuracy achieved by the proposed work is 96.48% while previous it is achieved 91.00%. The error rate of proposed technique is 3.52% while 9.008% in existing work. Therefore, it is clear from the simulation results; the proposed work is achieved significant better results than existing work.

FUTURE SCOPE

In the future, we will continue to focus on correlation studies to obtain more detailed results. A variety of methods can widely used to extract the features from EEG signals, among these methods are time frequency distributions (TFD), fast fourier transform (FFT), eigenvector methods (EM), wavelet transform (WT), and auto regressivemethod (ARM), and so on.

A small SNR and different noise sources are amongst the greatest challenges in EEG- based BCI application studies. Unwanted signals contained in the main signal can be termed noise,

artifacts, or interference. There are two sources of EEG artifacts: external or environmental source and physiological source [5]. EEG Data Pre-processing Strategies can be further enhanced.

References:

1. A. Seal, R. Bajpai, J. Agnihotri, A. Yazidi, E. Herrera-Viedma and O. Krejcar, "DeprNet: A Deep Convolution Neural Network Framework for Detecting Depression Using EEG," in IEEE Transactions on Instrumentation and Measurement, vol. 70, pp. 1-13, 2021, Art no. 2505413, doi: 10.1109/TIM.2021.3053999.
2. S. Sun, H. Chen, X. Shao, L. Liu, X. Li and B. Hu, "EEG Based Depression Recognition by Combining Functional Brain Network and Traditional Biomarkers," 2020 IEEE International Conference on Bioinformatics and Biomedicine (BIBM), 2020, pp. 2074-2081, doi: 10.1109/BIBM49941.2020.9313270.
3. W. Zheng, J. Zhu and B. Lu, "Identifying Stable Patterns over Time for Emotion Recognition from EEG," in IEEE Transactions on Affective Computing, vol. 10, no. 3, pp. 417-429, 1 July-Sept. 2019, doi: 10.1109/TAFFC.2017.2712143.
4. W. Fang, K. Wang, N. Fahier, Y. Ho and Y. Huang, "Development and Validation of an EEG-Based Real-Time Emotion Recognition System Using Edge AI Computing Platform with Convolutional Neural Network System-on-Chip Design," in IEEE Journal on Emerging and Selected Topics in Circuits and Systems, vol. 9, no. 4, pp. 645-657, Dec. 2019, doi: 10.1109/JETCAS.2019.2951232.
5. P. J. Bota, C. Wang, A. L. N. Fred and H. Plácido Da Silva, "A Review, Current Challenges, and Future Possibilities on Emotion Recognition Using Machine Learning and Physiological Signals," in IEEE Access, vol. 7, pp. 140990-141020, 2019, doi: 10.1109/ACCESS.2019.2944001.
6. R. A. Khalil, E. Jones, M. I. Babar, T. Jan, M. H. Zafar and T. Alhussain, "Speech Emotion Recognition Using Deep Learning Techniques: A Review," in IEEE Access, vol. 7, pp. 117327-117345, 2019, doi: 10.1109/ACCESS.2019.2936124.
7. S. Nemati, R. Rohani, M. E. Basiri, M. Abdar, N. Y. Yen and V. Makarenkov, "A Hybrid Latent Space Data Fusion Method for Multimodal Emotion Recognition," in IEEE Access, vol. 7, pp. 172948-172964, 2019, doi: 10.1109/ACCESS.2019.2955637.
8. Y. Yang, Q. M. J. Wu, W. Zheng and B. Lu, "EEG-Based Emotion Recognition Using Hierarchical Network With Subnetwork Nodes," in IEEE Transactions on Cognitive and Developmental Systems, vol. 10, no. 2, pp. 408-419, June 2018, doi: 10.1109/TCDS.2017.2685338.
9. S. Zhang, S. Zhang, T. Huang, W. Gao and Q. Tian, "Learning Affective Features With a Hybrid Deep Model for Audio-Visual Emotion Recognition," in IEEE Transactions on Circuits and Systems for Video Technology, vol. 28, no. 10, pp. 3030-3043, Oct. 2018, doi: 10.1109/TCSVT.2017.2719043.
10. G. Zhao, Y. Ge, B. Shen, X. Wei and H. Wang, "Emotion Analysis for Personality Inference from EEG Signals," in IEEE Transactions on Affective Computing, vol. 9, no. 3, pp. 362-371, 1 July-Sept. 2018, doi: 10.1109/TAFFC.2017.2786207.
11. H. Kim, Y. Kim, S. J. Kim and I. Lee, "Building Emotional Machines: Recognizing Image Emotions Through Deep Neural Networks," in IEEE Transactions on Multimedia, vol. 20, no. 11, pp. 2980-2992, Nov. 2018, doi: 10.1109/TMM.2018.2827782.
12. B. Xu, Y. Fu, Y. Jiang, B. Li and L. Sigal, "Heterogeneous Knowledge Transfer in Video Emotion Recognition, Attribution and Summarization," in IEEE Transactions on Affective Computing, vol. 9, no. 2, pp. 255-270, 1 April-June 2018.
13. Sudha. K. Rajan, Dr Mohd Uruij Jaleel, Dr. S. M. Murali Krishna, Krishnendu Adhikary, Dr. D Lakshmi Padmaja, "Predicting Clinical Outcomes in Patients with Alziemer's disease: A Comprehensive Nursing and Computer Science Perspective", 'European Chemical Bulletin, Volume 12, Special Issue 8, 2023, pp. 7406-7414, ISSN: 2063-5346, DOI: 10.48047/ecb/2023.12.Si8.627.
14. Dr Mohd Uruij Jaleel, Parbhat Gupta, Ajit Singh, Payal Gulati, Ankur Biswas, Arun Soni, "A Reliable Technique for Spotting Botnet Attacks in Internet of Things Applications", 'European Chemical Bulletin, Volume 12, Special Issue 4, 2023, pp. 16365-16373, ISSN: 2063-5346, doi: 10.48047/ecb/2023.12.si4.1461.
15. Gupta, Praveen Kumar, and Arora, Astitva, "Data science and its relation to big data and machine learning", International Research Journal of Modernization in Engineering Technology and Science, Volume 3, Issue 5, 2021, pp 61-65, ISSN 2582-5208.
16. Gupta, Praveen Kumar, et. al, "Deep Learning Architecture and Algorithms", National Symposium proceedings named Insight, Proceedings Volume 1, 2019, pp 33-39,