

# Journal of Advanced Zoology

ISSN: 0253-7214 Volume 45 Issue 6 Year 2024 Page 356-360

## Ayurvedic Management of Ghrahani [Crohn's Disease]-A Single Case Study

Dr Sonal A Shah<sup>1\*</sup>, Dr. Abhinandan Patil<sup>2</sup>, Dr Pranali B Ghone<sup>3</sup>, Dr Amruta R Rajmane<sup>4</sup>, Dr. Vaishnavi S Patil<sup>5</sup>, Dr Shraddha S Wavare<sup>6</sup>

<sup>1</sup>\*HOD and Professor of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

<sup>2</sup>Professor of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

<sup>3</sup>Pg scholar of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

<sup>4</sup>Pg scholar of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

<sup>5</sup>Pg scholar of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

<sup>6</sup>Pg scholar of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

## \*Corresponding Author: Dr Sonal A Shah

\*HOD and Professor of Kayachikitsa at Loknete Rajaram Bapu Patil Ayurved College, P.G Institute and Research Centre, Islampur, Sangli.

## Abstract

Crohn's disease is a chronic inflammatory disease of the intestines. It primarily causes ulcerations (breaks in the lining) of the small and large intestines, but can affect the digestive system anywhere from the mouth to the anus. It causes a wide variety of symptoms like abdominal pain, diarrhoea (even bloody if inflammation is severe), vomiting, weight loss. It may also cause complications outside the gastrointestinal tract such as skin rashes, arthritis, and inflammation of the eye, tiredness, and lack of concentration. Crohn's disease is related closely to another chronic inflammatory condition that involves only the colon called ulcerative colitis. Together, Crohn's disease and ulcerative colitis are frequently referred to as inflammatory bowel disease (IBD).

Crohn's disease is caused by interactions between environmental, immunological and bacterial factors in genetically susceptible individuals. This result in a chronic inflammatory disorder, in which the body's immune system attacks the gastrointestinal tract possibly directed at microbial antigens. Crohn's disease has traditionally been described as an autoimmune disease, but recent investigators have described it as an immune deficiency state.

According to Ayurveda, Crohn's can be compared to 'Ghrahani' disease. *Ghrahani* in Ayurveda, is actually an anatomical term to describe small intestines (specifically Ileum and jejunam). Any vitiation or inflammation to this particular part by imbalanced Doshas (Vata, Pitta, Kapha) can cause a wide variety of symptom similar to that of Crohn's disease, anywhere across the digestive system. Degree and nature of symptoms may vary as per the doshic predominance & involvement.

At CHARAKA, we are providing very effective treatment for Crohn's disease
based on the classical principle of Ayurveda and our research. Treatment involves
internal research medicines, strict diet regime and life style modifications. In more
severe and chronic cases, Panchakarma therapy is selectively done along with
these. Pichha Basti indicated in Parvahika, Ghrahani and Atisara by Acharya
Charaka and Vagbatta. This Basti reduce inflammation due to its Grahi,
Deepandravya and Picchila Guna

CC License CC-BY-NC-SA 4.0

Keywords: Crohn's disease, Ghrahani, Picchabasti, Ayurveda.

Crohn's disease tends to present initially in the teens and twenties, with another peak incidence in the fifties to seventies, although the disease can occur at any age. Males and females are equally affected. Smokers are two times more likely to develop Crohn's disease than non-smokers. Crohn's disease tends to be more common in relatives of patients with Crohn's disease. If a person has a relative with the disease, his/her risk of developing the disease is estimated to be at least 10 times that of the general population and 30 times greater if the relative with Crohn's disease is a sibling.

Treatment options are restricted to controlling symptoms, maintaining remission, and preventing relapse. The disease was named after gastroenterologist Burrill Bernard Crohn, who, in 1932, together with two other colleagues at Mount Sinai Hospital in New York, described a series of patients with inflammation of the terminal ileum, the area most commonly affected by the illness. Ayurveda, the holistic science of India, places a lot of emphasis of the care of the digestive system.

Ayurvedic concepts particularly focus on the significance of healthy digestive system with regard to the overall balanced functioning and healthiness of the human body and mind. Healthy digestion ensures that the nutrients taken in through food are able to produce healthy tissues (Saptha Dhathus). When digestion is weak, the tissues of your body – including muscle, blood, bone and nerves – become weak and susceptible to disease. Various Panchakarma treatments of modalities for the management of these diseases are mentioned in our classics Pichha Basti is best among there.<sup>2</sup>

## AIM AND OBJECTIVE

To evaluate to efficacy of modified Pichha Basti in the management of crohn's disease

## MATERIALS AND METHODS

Selection and source of Patient was registered from OPD of department and admitted in general IPD ward.

**Plan of study** – The drug required for Basti Karma were procured and prepared in Prakalpa of Panchakarma theatre.

outdoor basis for 5 weeks. The treatment given was:

1.Tab. Cologrit 2Bd

2.Tab. Kutaj ghan vati 2Bd

3. Piccha vasti for 1 week

## **CASE STUDY-**

A married female patient age of 45 years, Hindu house wife, graduate, economic status is lower middle, visited OPD Of *Kayachikitsa Department*, *At* Loknete Rajaram Bapu Patil Ayurved College, P.G Institute And Research Centre, Islampur Complaining of blood with faeces, abdomen pain, mucus discharge and generalised weakness since 1 year. The incidence occurred after every 3-4days.

The patient took allopathic treatment for more than 1 year but got no satisfactory relief. The patient visited Patanjali wellness centre Haridwar for treatment and took indoor treatment for 2 weeks and got mild relief. Personal history No family history along with no history of any other major illness such as hypertension, diabetes mellitus, tuberculosis, Hyperthyroidism, liver disease etc. No history of any type of past surgery. Had vegetarian diet with regular food habit, frequently eating salty, spice, bitter oily food.

## General physical examination

Temperature - 37°C

Available online at: https://jazindia.com

- Pulse rate 78/min
- Respiratory rate 18/min
- Blood pressure 120/80mmHg
- Weight 60 kg
- Height 5.3ft

#### **Systemic examination**

- •GIT pain and tenderness in lower abdomen.
- Respiratory NAD
- Cardiovascular-NAD

Criteria for inclusion-

Sign and symptoms of crohn's disease

## **Parameters Subjective parameters**

- Bowel frequency with loose stool.
- Abdominal pain.
- Blood with stool.
- Weakness.
- Loss of weight

## Ashtavidha Pariksha (eight-fold examination)-

- Pluse rate 78/min, Rhythm Regular, volume normal, tension normal, force normal.
- Stool Appearance bloody mixed stool defecation.

Urine - Amount - 5 to8 times/day and one time at night.

- Tongue Normal in shape & sized
- Touch Afebrile Eye Normal in vision
- Appearance Medium
- Voice Normal voice with clarity.

## Dashavidha Pariksha (ten-fold examination)-

1.Prakriti - Vata-Pittaja 2. Vikriti - Dosha-Dushya Samoocchana 3. Sara - Madhyama 4. Samhanana - Madhyama 5. Pramana - Madhyama 6. Satva - Madhyama 7. Saatmya - Madhyama 8. Ahara-Shakt i- Aawara 9. Vyayaam Shakti - Aawara 10. Vaya- Madhyama Srotas examination

## STROTAS PAIKSHA\_

- 1. Pranavaha Srotus NAD
- 2. Udakavaha Srotas NAD
- 3. Annavaha Srotas Avipaka (indigestion)
- 4. Rasavaha Srotas NAD
- 5. Raktavaha Srotas NAD
- 6. Mansvaha Srotas NAD
- 7. Medovaha Srotas Alasya (lethargy)
- 8. Ashtivaha Srotas NAD
- 9. Majjavaha Srotas NAD
- 10. Shukravaha Srotas NAD
- 11. Manovaha Srotas NAD
- 12. Artavaha Srotas NAD
- 13. Mootravaha Srotas NAD
- 14. Purishavaha Srotas Raktvayukta Purish Tyaga (blood mixed stool defecation)
- 15. Swedavaha Srotas NAD

#### Assessment criteria:

Improvement was assessed on the basis of relief in subjective and objective parameters.

#### 1. Bowel frequency

0	1 or 2 times in a day
1	3 or 4 times in a day
2	5 or 7 times in a day
3	8 or 12 times in a day
4	More than 12 times a day

#### 2. Blood in stool

* *** * -		
0	No bleeding	
1	Occasional bleeding in stool (not daily)	
2	Bleeding daily but less than 4 times / day	
3	Bleeding daily but less than 8 times /day	
4	Bleeding daily but more than 8 times /day	

## Treatment plan Piccha Basti

- [ 1.] Poorva Karma Sarwang Snehana Swedena with Moorchit Tila Tail and Mrudu Vashpa Swedana.
- [2.] Pardhan Karma Patient was made to lie in left lateral position for administration of Basti.

## Content of Piccha Basti:-3

- [3] a) Salmali Vrinta Kashaya b) Ghrita c) Madhu (honey)
- d) Kalka Darvya Manjista Choorna Mocharasa Choorna Lodhra Choorna Nagkeser Choorna Yastimadhu choorna Rasanjan Choorna Other Requirements Syringe Catheter 8 no. Gloves

## Method of preparation of Piccha Basti:-4

To prepare the mixture for decoction enema. One must follow a sequence of mixing various ingredients. First add honey and rock salt and mix properly than add ghee, again mixing properly than add to be fine Manjisthadi Kalka of herbs and finally add to it Shalmali Vrintadi Kashaya. The whole mixture when thoroughly mixed. Should be heated to body. Temperature over water vapour then pours these contents into an enema pot.

#### **Duration of Treatment:-**

The patient got satisfactory relief after 5th day. And the incidence of bleeding reduced to 1 incidence after 4-5 day. The treatment was continued for next 14 days along with Nabhi vasti. After 10th day their was no incidence of bleeding for next 10days. After that the treatment was continued for next 7days. And there was no incidence of bleeding per rectum. The patient was feeling very much relief in general well-being. After that the treatment was continued and the patient was advised Piccha vasti twice weekly. And there was no incidence of bleeding for next 2 weeks. After that Vasti was stopped and the patient was advised to take oral treatment for next 2 weeks.

## 3. Pashchata Karma:-

- a) Patient is asked to keep lying for 3-4 minutes for better absorption of Basti drug.
- b) Patient is advised to take light diet.
- c) Patient is advised to avoid fast foods and spicy foods. advised to follow the Sansarjan Karma.

## **Duration of follow up Periods: -15 days**

## **DISCUSSION:**

Many people with Crohn's disease have symptoms for years prior to the diagnosis. Because of the 'patchy' nature of the gastrointestinal disease and the depth of tissue involvement, initial symptoms can be more subtle than those of ulcerative colitis. People with Crohn's disease experience chronic recurring periods of flare-ups and remission. Various types of Basti Karma are mentioned in classics based on their action one among them is Pichha Basti. It is named of its Pichhila property which means sticky or lubricant in nature Because of this Property it forms a protective layer over the intestinal mucosa to avoid friction and reduction intestinal

irritation. The ingredients used in Pichha Vasti were Salmali Niryasa, Ghrita, Taila, Madhu and Dugdha. All ingredients are having similar properties like Madhura Rasa, Sheeta Veerya and Madhura Paka.

#### MODE OF ACTION:

- Shothahara and Vrana Ropaka (Anti Inflammatory and Ulcer Healing).
- Raktasthambhaka (Haemostatic Agent)
- Sangrahi / Stambhan (Anti Diarrheal & Anti Dysenteries)
- Pitta Shamaka
- Agnideepaka

#### **CONCLUSION:**

Piccha Piccha Basti was prepared from easily available herbs and after administration gave good symptomatic relief. Sangrahi and Sodhana property of Piccha Basti facilitate healing in colon mucosa. Usually results are very good with Ayurvedic line of treatment. Early cases tend to respond quickly than chronic. If patient can stick to all the guidelines as advised, even complete cure can also be achieved.

## **REFRENCES:**

- 1. https://www.iafaforallergy.com/disease-a-to-z/crohns-disease-ibd/
- 2. Shastri K. Charak Samhita part 2; Chikisasthana; Atisarachikitsa 19/63-66 pg no. 570; Publication: Chaukhamba Bharti Academy; Varanasi; Edition-2011.
- 3. Agnivesh, Charaka Samhita Chikitsastana Elaborated by Charaka and Drudhabala, commentary by Sri Chakrapanidatta, edited by Vaidya Trikamji Acharaya, prologued by prof. R H Singh; Chuakahamba Subharti Prakasan Varanasi 2017; 552: 19-70.
- 4. 4. Sushruta. Sushruta Samhita, Uttar Sthana, Elaborated BY Sri Dalhan and Sri Gayadash, hindi Commentry by Dr Kebal Thakral; Chaukhamba Orientalia, Varanasi second 2016;298: 40-10.
- 5. Preeti Chaturvedi, Sonika Solanki, Mamta Dhurve. The role of modified Pichha Basti in the management of Ulcerative Colitis A Case Study. J Ayurveda Integr Med Sci 2023;03:149-153. http://dx.doi.org/10.21760/jaims.8.3.28